


# FGTE VR 450/20mm EXTENSION

## 5003676



| Product details          |                          |
|--------------------------|--------------------------|
| Product base class       | Accessories              |
| Product function group   | Accessories - mechanical |
| Product group            | Extension rod            |
| Product                  | Slave Locking            |
| Specification            |                          |
| Type of faceplate ⓘ      | Flat faceplate           |
| Faceplate height         | 3 mm                     |
| Length of faceplate      | 450 mm                   |
| Faceplate width ⓘ        | 20 mm                    |
| Surface ⓘ                | Matchrome-plated MC      |
| Minimum order quantity ⓘ | 250 Piece                |

# FGTE VR 450/20mm EXTENSION 5003676

# FGTE VR 450/20mm EXTENSION

## 5003676

### Legend

|                               |                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Faceplate width</b>        | Indicates the horizontal distance from the left faceplate edge to the right faceplate edge.                                                                   |
| <b>Minimum order quantity</b> | Indicates the minimum quantity of the product to be ordered with each order. This value can be exceeded (including single-digit values) without any problems. |
| <b>Surface</b>                | Describes the surface and coating of the faceplate.                                                                                                           |
| <b>Type of faceplate</b>      | Designates the profile of the metal surface of the lock visible in the vertical rebate of the door sash.                                                      |

