


Consumables & Sundries



Abrasives	6-7
Adhesives	8-9
Silicones & Sealants	10
Foams	11
Putties & Fillers	12
Lubricants	13
Cleaners	13-14
Tapes & Packing Supplies	15
Safety & Workwear	16
Preparation & Cleanup	17
Osmo Interior	18
Osmo Exterior	19-20
Wood Cleaning & Care	21
Finishing Waxes & Oils	22
Preparation & Maintenance	23
Finishing & Brushes	24
Woodscrews	25
Multi-Purpose Screws	26
Screw Accessories & Timber Screws	27
Cabinet & Carriage Bolts	28
Masonry & Cavity Fixings	29
Firmahold Nails	30
Paslode Nails	31
Pins & Biscuits	32
Packers, Brackets & Drill Accessories	33

Hermes Sanding Discs (50)


- Aluminium oxide grain.
- Heavy paper with good edge stability.



Grit	125mm	150mm
60	11031	11032
80	11023	11024
100	11025	11026
120	11033	11034
150	11029	11037
180	11027	11028

Mirka Basecut 15 Hole Sanding Discs (100)

- Blue aluminium oxide.
- High initial aggressive cut.



Grit	150mm
60 (50 QTY)	MIR027
80	MIR028
100	MIR029
120	MIR030
150	MIR031
180	MIR032
240	MIR033
320	MIR034
400	MIR035

Mirka Abranet Sanding Discs (50)


- Polymide resin fibre fabric.
- Closed coat - reduces clogging.
- Dust free sanding.



Grit	125mm	150mm
80	MIR001	MIR008
100	-----	MIR009
120	MIR002	MIR010
150	MIR003	MIR011
180	MIR004	MIR012
240	MIR005	MIR013
320	MIR006	MIR014
400	MIR007	MIR015
500	MIR040	MIR036
600	-----	MIR037
800	-----	MIR038
1000	MIR041	MIR039

Hermes Sanding Belts (10)

- HSB aluminium oxide cotton cloth.
- Tear resistant backing.



Grit	100 x 560mm	100 x 610mm	75 x 457mm
40	11068	11050	-----
60	11069	11051	-----
80	11070	11052	11077
100	11071	11053	11078
120	11072	11054	11079
150	-----	11055	-----
180	-----	11056	-----
240	-----	11057	-----

Mirka Hiolit X Sanding Belts 100 x 610mm (10)

- Blue fired aluminium oxide grain.
- For power sanding standard wood work.



Grit	Product Code
40	MIR042
60	MIR020
80	MIR021
100	MIR022
120	MIR023
150	MIR024
180	MIR025
240	MIR026

Mirka Jepuflex Drum Sanding Belts 1290 x 1900mm (10)

- Multi-layer paper.
- High stock removal & quality surface finish.



Grit	Product Code
120	MIR016
180	MIR017

Belt Cleaning Stick

- 40 x 31 x 215mm.



Product Code
11080

Mirka Avomax Abrasive Roll 115mm x 50m

- Aluminium oxide grain.
- Good for resinous wood types and materials that clog easily.



Grit	Product Code
80	MIR018
100	MIR019

Hermes VC152 Abrasive Rolls - 115mm x 10m

- Medium weight open coat aluminium oxide paper.



Grit	Product Code
40	11008
60	11009
80	11010
120	11011
150	11012
180	11013

Hermes BW110 Abrasive Rolls - 115mm x 50m

- Heavy weight aluminium oxide paper.
- Tear resistant heavy paper backing.



Grit	Product Code
60	11001
80	11002
100	11003
120	11004
150	11005
180	11006
220	11007

Hermes SF168 Abrasive Rolls - 115mm x 50m

- Flexible silicon carbide paper suitable for contoured surfaces.
- Special coating reduces clogging.



Grit	Product Code
120	11019
180	11020
220	11021
240	11022
320	11021/1
400	11020/1

Double Sided Sanding Sponges - 97mm x 123mm (10)

- Soft and very flexible silicon carbide sponge.



Grit	Product Code
36	11060
60	11059
100	11058
180	11046

Webrax Abrasive Pad - 152 x 229mm

- Silicon carbide medium density non-woven pad.
- Highly flexible, prevents clogging.



Grit	Product Code
1500	11043

Metal Cutting Disks

- Always present to the work piece at a 90° angle.
- Must never be used for grinding.
- Used for cutting into various types of metal, including stainless steel/inox.



Size	Product Code
115 x 1 x 22mm	25719

Liberon Steel Wool

- Extra fine - 0000
- Medium to coarse - 2
- Sold in 250g



Grade	Product Code
0000	32361
00	32364
0	32365
1	32366
2	32366/1

Stainless Steel Wire Scratch Brush

- Size: 255mm.
- A high density A2 stainless steel wire brush with an ergonomic plastic handle.
- Ideal for a more aggressive removal of paint, rust, scale, grout or dirt.



Product Code
TB0262

Rubber Sanding Block 70 x 125mm

- Contoured grip for comfort during long use.
- Abrasive papers can be cut to size to fit the sanding block.



Product Code
TB0141

D3 Water Resistant PVA Glue

- High degree of water resistance.
- Fast cure - initial set in 10 minutes.
- Conforms to EN204 (D3) & BS 14256 for creep resistance.



Size	Product Code
1L	22103
5L	22101

Lumberjack PU Glue - Gel 310ml

- Suitable for interior and exterior use.
- Gap filling.
- Fully waterproof.
- Acid & chemical resistant.
- 5/30min - D4 Strength



Sets In (Min)	Product Code
5	22129/1
30	22119

One Shot Powdered Resin Wood Glue 3KG (Cascamite)

- Easy to mix with water and apply.
- Bonds obtained are of durability class C3 according to EN12765.



Product Code
22111

D4 Waterproof Resin Glue

- Dries clear.
- Easy water clean up.
- Sets in 10 mins and meets EN204 & WATT91.



Size	Product Code
1L	22098

Lumberjack PU Glue - Liquid 750g

- Suitable for interior and exterior use.
- Gap filling.
- Fully waterproof.
- Acid & chemical resistant.
- 5/30min - D4 Strength



Sets In (Min)	Product Code
5	22129
30	22115
45	22130

Lumberjack 160 Woodbond

- Designed for fixing wooden floors directly onto porous substrates.
- Water free – will not cause warpage of wood.
- Suitable for underfloor heating
- 4m² to 10m² per 10L tin.



Size	Product Code
10L	22112/2

Titebond III Ultimate Glue

- Suitable for interior and exterior use.
- Waterproof formula.
- Set time 30 mins/24 hours.



Size	Product Code
473ml	22138
3.8L	22139
8L	22140

Gladiator PUR 241 Polyurethane Adhesive 310ml

- Suitable for interior and exterior use.
- Fast curing.
- Gap filling.
- D4 Strength.
- Fully waterproof.
- Colour blend on most woods.



Product Code
22114

GRIP ALL (Solvent Free) Adhesive

- A fibre reinforced high strength construction adhesive with extremely high initial grab (over 300kg/m²) and high bond strength.
- Especially suitable for porous materials.



Size	Product Code
290ml	13889

PU Soudal Glue

- Foaming penetration action to fill/bond cavities.
- Fast drying, water resistant D4 (DIN EN 204) and can be used on damp wood.



Size	Product Code
310ml (Gun)	22118
710ml (Bottle)	22116

Cascamite Glue

- Easily mixed with water.
- May be used internally or externally.
- Water resistant to BS EN204 D3, conforms to BS EN302-1 A3 Type II.



Size	Product Code
1.5KG	22113

Stixall Adhesive & Sealant - 290ml

- Suitable for interior or exterior use.
- Waterproof.



Colour	Product Code
White	13874
Clear	13875

Carpet & Upholstery Spray Adhesive 500ml

- Can be used for floor laying, upholstery and mounting photographs.
- Each can covers an area of 60sq feet (approx).



Product Code

22128

Standard Silicone Gun

- 48mm gun.
- 7:1 trigger ratio.



Product Code

21602

Power Pro Silicone Gun

- 48mm gun.
- 12:1 trigger ratio.



Product Code

21602/2

Rapid Mitre Adhesive & Accelerator

- Grips in 10 seconds
- Easy Application
- Anti-Clog Cap
- Internal Use Only
- Dries Clear



Size

50g (Adhesive)
200ml (Accelerator)
Complete Set

Product Code

22121
22122
22123

PU Foam Multi-Use Construction Adhesive 750ml

- Rapid curing -10 mins/24 hours.
- Suitable for interior and exterior use.
- Excellent long-term resistance to seawater, lime water, dilute acids and caustic solutions.



Product Code

22137

All Purpose Contact Adhesive

- Contact adhesive suitable for use with a wide variety of materials.
- Suitable for interior and exterior use.



Size

125ml (Tube)
500ml (Spray)

Product Code

22117/1
22117/2

Superglue & Activator

- Set time 5 - 15 Seconds.
- Bonds with a large variety of surfaces.
- Medium viscosity.
- Gap filling to 0.1mm



Size

50g (Superglue)
200ml (Activator)

Product Code

W4012
W4013

Araldite Glue

- Set Time 80 mins/14 hours.
- 2 component epoxy.
- Size: 15ml x 2



Type

Precision
Rapid

Product Code

22124
22125

Threadlock GP Blue (Medium)

- Medium strength for easy disassembly if necessary.
- Gap filling to 0.25mm.
- Quick initial bond (5-10 minutes)



Product Code

29085

Can't find what you're looking for?

We are able to supply adhesives from numerous manufacturers if you require something that isn't in our catalogue or on our website.

Please contact us with your enquiry and we will be happy to assist.



Silfix U9 Silicone Sealant 310ml

- Low mod, neutral cure.
- Ideal for sealing glass.
- Conforms to BS 5889 Type A and ISO 11600 G-25 LM.
- Flexistrip on page 161.



Colour	Product Code
Black	13901
Clear	13902
White	13903
Brown	13904

Silirub 310ml

- Low mod, neutral cure.
- Easy application.
- Permanent colour, UV-resistant.
- Available in a wide range of colours.



Colour	Product Code
Chartwell Green	13890
Anthracite	13898
Oak	13900
Agate Grey	13911

353 Low Modulus Silicone 310ml

- Low mod, reactive cure.
- Typically used for single glazing, draught proofing and general industrial use.



Colour	Product Code
White	W4000
Black	W4001
Brown	W4002
Bronze	W4003
Grey	W4004
Toffee	W4005
Clear	W4006

Elast-o-sealant 310ml

- All weather sealant.
- Can be applied to wet surfaces.
- Sticks to most construction material.



Colour	Product Code
White	13878
Clear	13879
Brown	13880
Grey	13881

825 Silicone 380ml

- Low mod, neutral cure.
- Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames.



Colour	Product Code
Cream	13382

Sanitary Grade Silicone 310ml

- Permanently waterproof.
- Ideal for use in bathrooms and wet-rooms.
- Conforms to ISO 11600.



Colour	Product Code
White	13856
Ivory	13858
Clear	13859

175 Universal Acrylic Sealant

- Suitable for interior and exterior use.
- Adheres to virtually all substrates.
- Can be painted over once cured.



Colour	Product Code
White (380ml)	13870
Brown (310ml)	13872

Caulk White 295ml

- Fast drying - can be over-painted in 1 hour.
- Permanently flexible.
- Easy water clean up.
- Excellent slump resistance.
- Conforms to ISO11600 12.5P.



Product Code
13877

Silicone Eater 100ml

- Removes all types of sealant by chemically breaking sealant down.
- Harmless to most surrounding surfaces.



Product Code
13861

Roof & Gutter Sealant 310ml

- Permanent weather proofing.
- Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.



Product Code
W4008

Leadmate - Grey 295ml

- Alternative to mortaring lead flashing and sheet into brick, stone and concrete.
- It provides a fully waterproof joint that will not crack or shrink.



Product Code
13871

Intumescent Acoustic Acrylic Sealant 310ml

- Swells when exposed to temperatures in excess of 125°C.
- Fire rating of up to 4 hours.
- Fire rated to BS 476 Part 20/ EN1366-4 (2006).
- Acoustic rates to BS EN ISO 140/3.



Colour	Product Code
White	19044
Brown	19044/B

Sealant Smoothing Spatula 85 x 80 x 7mm

- Ideal for making a neat finish.



Product Code
13910

Silicone Gun

- 48mm Gun.
- Standard - 7:1 trigger ratio.
- Pro - 12:1 trigger ratio.



Type	Product Code
Standard	21602
Power Pro	21602/2

Gun Grade Expanding Foam 750ml

- Ideal for filling, sealing and insulating of joints and gaps.
- High yield application – Joint only requires filling to 60%, prior to post-expansion.
- Rapid cure formulation – 8 minutes/45 minutes.
- Forms a strong bond to various materials.



Product Code

22303

Gun Grade Expanding Foam 750ml

- Expands greatly on application.
- Yields up to 50 times original can contents.
- Can be cut, sawn, plastered and sealed over after approximately one hour.
- Fills irregular gaps, fixes framework, insulates and sound deadens.
- Designed for professional use in conjunction with Gun Foam Applicators.



Product Code

22311

Hand Grade Expanding Foam 540ml

- Ideal for filling, sealing and insulating of joints and gaps in a variety of building and construction applications.
- Rapid cure formulation – Foam is tack free within 8 minutes, and can be cut or trimmed within 45 minutes.



Product Code

22304

AA210 Nozzle for Gun/Hand Grade Foam

- 2 in 1 application for Illbruck foams.
- Suitable for all types of applications.
- More precise application and greater efficiency than a standard nozzle and therefore less waste.
- 360° application possible.



Product Code

22302

Expanding Tape

- Water tight to driving rain under pressure of 600 P a minimum from sizes 2-4mm.
- Thermal Insulation, noise control or seal against draughts and dust from sizes 5-10mm.
- Only performs as a gap filler from sizes 8-15mm.



Size (Gap x W x L) Product Code

2-4 x 10 x 10m	21562/1
2-4 x 15 x 10m	21557/2
2-4 x 25 x 10m	21557
5-10 x 15 x 5.6m	21562
5-10 x 20 x 5.6m	21555
5-10 x 25 x 5.6m	21557/1
5-10 x 30 x 5.6m	21557/4
7-12 x 20 x 4.3m	21562/2
8-15 x 20 x 3.3m	21557/3

PU Foam Multi-Use Construction Adhesive 750ml

- Ideal for bonding a wide range of construction materials.
- Rapid curing – 10 minutes/24 hours.
- Easy to use: no mixing, no water, no dust, no specialist tools or equipment required.
- Suitable for indoor or outdoor use.



Product Code

22137

Heavy Duty Foam Gun

- Professional quality foam gun, ideal for controlled, accurate application.
- Full PTFE coated for ease of cleaning.



Product Code

22306

Solvent Gun/Hand Cleaner 500ml

- Used for cleaning PU foams from guns and nozzles.
- Contains separate nozzle, hence may be used to clean both guns and DIY grade nozzles.
- Enables expensive guns to be reused time after time.



Product Code

22305

Blue 60 Foam 750ml

- 30 & 60 minute fire tested to BS-EN 1634-1 & BS476-22.
- Tested in full size single & double doorsets, not linear gaps.
- No additional mastics or sealants required.
- Fire rated packers must be used in conjunction with foam.




Grade Product Code

Gun	22298
Hand	22299

Blue 60 Fire Rated Packers

- 30 & 60 minute fire tested to BS-EN 1634-1 & BS476-22
- Must be used in conjunction with foam.



Size Product Code

Mixed	22294
1 x 15 x 100	22295
3 x 15 x 100	22296
5 x 15 x 100	22297

Blue 60 Gun Cleaner


- Designed to thoroughly clean mechanised foam gun applicators, to ensure long life and consistent application.
- Can also be used for cleaning uncured foam from most substrates and for cleaning hand held applicator nozzles.



Product Code

22293

Large Stock Levels



Everbuild Multi Purpose Wood Filler

- Ready to use.
- Filling surface imperfections and damaged areas in wood.
- Waterproof, can be sanded, painted/stained.



Colour	Product Code
Mahogany	29137
White	29138
Pine	29139
Dark Oak/Teak	29140
Light Oak	29141

Metolux 2 Part Wood Filler & Tube Hardener

- Weatherproof for interior or exterior use.
- Paintable & Stainable.



Colour	275ml	770ml
Redwood	29101	29107
Mahogany	29102	29108
White	29103	29109
Pine	29104	29110
Teak	29105	29111
Light Oak	29106	29112

Large Tube Hardener 40g

- Speed-set hardener for all two-parts fillers.
- Used in conjunction with Chemix 2 Part Fillers.



Product Code
29149

Fiddes Filler Gel 0.8kg

- Fill gaps, cracks and joints prior to sanding and finishing wood flooring.
- Ideal for use under Fiddes Hard Wax Oil.
- Drying Time: 20mins.



Product Code
29270

Fill Once 650ml

- Fills in one application.
- Fills up to 50mm deep in one application.
- Internal/external use.
- Paintable/Stainable.
- Setting time: 30 minutes.



Product Code
29097

All Purpose Filler 600g

- Suitable for both interior and exterior use.
- Dries to smooth, tough, crack resistant, sand-able finish which may be painted or stained.
- Can be used with most building materials.



Product Code
29100

Multi Purpose Putty

- Easy to apply.
- For use with wood and metal frames.
- Areas For Use: Single glazing of pre-treated wooden and metal rebates.



Colour	Size	Product Code
Natural	1kg	29099
Brown	2kg	29098

Butyl Glazing Compound 2kg

- For glazing double glazed units into timber window frames where a timber bead is to be used.
- Suitable for both soft and hardwood frames.



Colour	Product Code
Brown	W4092
Natural	W4093

Butyl Glazing Flexistrip

- For installing double glazed units, laminated glass and single glass into windows and doors.
- Size: 15mm x 2.5mm x 30m.



Colour	Product Code
White	W4090
Brown	W4091
Black	W4089

Timba Glaze Putty Replacement 290ml

- Can be applied to wet or damp surfaces.
- Set time: 20 mins/1 hour.
- UV and weather resistant.



Product Code
13906

Timba Build 2 Part Epoxy Wood Stabiliser 300ml

- Designed to strengthen weakend wood fibres.
- Solvent free.
- Low viscosity.
- Used with EHB60 - 13907.



Product Code
13908

Timba Build EHB60 Epoxy Based Filler 400ml

- For repairs up to 60mm depth.
- Solvent free.
- Used with EWS - 13908.
- Cures within 4 hours.
- VOC A+



Product Code
13907

Timbabuild Dual Cartridge Gun

- For use with 13907.
- Lightweight construction - 1.32kg.
- Anti-Vibration pressure plate to guard against breakage.



Product Code
13909

ESP - Easy Surface Preparation 1L

- Makes painting impossible to paint surfaces possible.
- Paint over in 2 hours. Interior & exterior use.



Product Code
29091

Paper Wipes 190mm x 150m

- Extra strong.
- Soft 2-ply paper for effective industrial and home cleaning.



Product Code

W4010

Toilet Rolls 100mm x 25m

- Soft 2-ply toilet paper.



Type Product Code

4 Pack	W4017/1
36 Pack	W4017

Blue Microfibre Cloth 380mm x 380mm (10)

- Highly absorbent.
- No cleaning products required.
- Machine washable and reusable.



Product Code

40051

Assorted Wiping Rags 10kg

- Large quantity of mixed rags in a vacuum pack for convenient storage and dispensing.
- Ideal for general cleaning and wiping jobs on site.



Product Code

40052

Silicone Spray 400ml

- Lubricates.
- Prevents wear, rust and corrosion.
- Water-repellent, electric insulating.
- For interior and exterior use.
- Can be used in any angle (360°).



Product Code

22307

PTFE Spray 400ml (Silicone Free)

- Lubricates.
- Prevents wear, rust and corrosion.
- Water-repellant.
- For interior and exterior use.
- Can be used in any angle (360°).



Product Code

22300

White Lithium Grease 400ml

- White lithium grease in aerosol form for heavy-duty applications.
- An ideal lubricant for preventing rust and corrosion for automobile, marine and workshop use.



Product Code

22317

3-In-One Oil 200ml

- Lubricates, cleans and polishes.
- Prevents rust and tarnishing.
- Directional spout for more precise application.



Product Code

22314

WD-40 Aerosol 450ml

- All purpose liquid for water dispersion, corrosion control, lubrication and penetration.
- Thoroughly recommended to preserve and protects all tools.



Product Code

22308

WD-40 Spray Bottle 5L

- WD40 Spray 5LT + Spray bottle.
- All purpose liquid for water dispersion, corrosion control, lubrication and penetration.



Product Code

22313

Wonder Wipes Tub (100)

- Specially formulated to clean a variety of substances.
- Tested independently to BSEN 1276:1997 and BSEN 12054:1995.



Product Code

21603

Wonder Scrubs (75)

- Heavy duty, textured wipes.
- Anti-bacterial.
- Tested independently to BSEN 1276:1997 and BSEN 12054:1995.



Product Code

21609

Glass Cleaner Spray 1L

- Contains a high level of detergents and solvents for rapid drying to provide a smear and static free finish.
- May also be used on tiling, VDUs, TV screens, chrome etc.



Product Code

21604

Glass & Mirror Foam Cleaner 750ml

- 10L Yield.
- Sprayable cleaning agent that provides a spotless streak-free finish favoured by professionals
- Suitable for cleaning most types of glass, mirrors, plastics and other hard surfaces.



Product Code

21614

PVCu Cream Cleaner 1L

- Solvent free formula.
- Removes ingrained dirt.
- Buffs to a deep sheen.
- Works to clean in 15 minutes.
- Some conditions may require second application.



Product Code

W4011

PVCu Solvent Cleaner 1L

- Solvent based product formulated to remove ingrained dirt from PVCu and most plastics.



Product Code

W4063

Orange Goop Hand Cleaner Liquid 450ml

- Waterless cleaner.
- With pumice.
- Biodegradable.
- No petroleum solvents.
- Non-toxic.
- Cleans grease, oil, dirt, grime.



Product Code

22326

White Spirit 2L

- Solvent designed for thinning paints and varnishes, and general cleaning.
- Conforms to BS245.



Product Code

29210

Methylated Spirits 500ml

- Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints & French polish.
- Can also be used as a cleaner/degreaser.
- Commonly used as a fuel for heating/cooking.



Product Code

30019

Turps Substitute 2L

- Cleans paint off brushes & rollers to prolong their life.
- Can be used as a general household degreaser.



Product Code

29209

Pure Turpentine 300ml

- High quality.
- For thinning oil paints and varnishes.
- Ideal for dissolving Beeswax.
- Mixes artists oil colours.



Product Code

32359

Nitromors Paint & Varnish Remover

- Water washable.
- Quickly and easily removes various paints and varnishes.
- It is ideal for use on vertical surfaces, such as doors and skirting boards.



Sizes

375ml
750ml

Product Code

32106/2
32106

Brush Cleaner 500ml

- Solvent based.
- Removes wet paint quickly from brushes, rollers and pads.
- Works on emulsion spirit based paints and varnish.
- Contains conditioner to prolong brush/roller life.



Product Code

29093

Brush Restorer 500ml

- Solvent Based.
- Works on all paint types.
- Water washable.
- Contains conditioner to prolong brush life.



Product Code

29094

Sugar Soap 500ml

- Powerful concentrated formula.
- Works on most types of painted surfaces.
- Can be used as a general household surface cleaner.



Product Code

29095

Liberon Wax & Polish Remover 500ml

- Removes old wax, dirt, smoke and everyday grime from antique/modern wood furniture.
- Also suitable for use on interior woodwork.



Product Code

32101

Osmo Brush Cleaner And Thinner 1L (8000)

- Benzene-free.
- Ideal for cleaning tools after applying finishes (oil and artificial resin-based), can be used for thinning solvent based finishes.



Product Code

29206

Oxalic Acid Crystals 1kg

- Remove stains such as ink from wood and rust stains from a variety of materials such as concrete.
- Also mildly bleaches wood.



Product Code

32109

Osmo Wood Reviver (6609)

- Gel cleaner for refreshing greyed wood.
- Easy to apply with a brush.
- Recommended for wooden decking, timber cladding, garden furniture etc.
- Odourless and biodegradable.
- Approx. Coverage : 10m²/L.



Sizes

500ml
2.5L + Brush

Product Code

29214
29214/1

Osmo Paint Stripper 1L (6000)

- Low odour.
- Approx. Coverage : 2-4m²/L.



Product Code

29277

Trend Tool & Bit Cleaner 532ml

- Spray-on resin and pitch remover.
- Simply spray on wipe off.
- Ideal for sawblades, router cutters, planer blades, files, wrenches and drill bits etc.
- Excellent lubricant.
- Provides rust and corrosion protection.



Product Code

26746

Trend Resin Cleaner 600ml

- Spray-on resin remover & cutter cleaning liquid.
- Simply spray on wipe off.
- Supplied in pump action dispenser.
- Ideal for sawblades, router bits, planer blades and drill bits etc.



Product Code

26592

Masking Tape 50m

- Trade quality masking tape for conventional use.
- Can be left on for up to 3 days without leaving a residue.



Width	Product Code
19mm	21568
50mm	21570

Electric Insulation Tape 25m

- Flame retardant.
- Easy to unwind.
- Provides insulation to most electrical wires.
- Conforms to BSEN 60454 Type 2 & IEC454-2.
- Other Colours Available.



Product Code
21584

Brown Paper Craft Tape 48mm x 50m

- Self-adhesive paper tape.
- Strong resistance to moisture and humidity.
- Sticks to all carton surfaces and is 100% recyclable.



Product Code
21569

Tesa 4323 Masking Tape 50m

- 3 day residue-free removability indoors.



Size	Product Code
25mm	21580/2
50mm	21580/1

White Double Sided Tape 50mm x 25m

- General purpose.
- Double sided tape with a high tack UV resistant acrylic adhesive.



Product Code
21611

Clear Tape 48mm x 66m

- Long lasting adhesive with high bond strength.



Product Code
21635

Low Tack Masking Tape 50mm x 25m

- For application to delicate surfaces and wallpaper, where conventional masking tapes could cause damage.
- Can be left on for up to 14 days.



Product Code
21580

Power Grip Double Sided Tape

- Will stick to porous and non porous surfaces including, but not limited to, ceramics, wood, glass, plastics, brickwork, PVC etc.
- Weatherproof.
- Strong initial bond strength.



Size	Product Code
25mm x 2.5m	21612
50mm x 2.5m	21613

Fragile Tape 50mm x 66m

- Self-adhesive paper tape.
- Strong resistance to moisture and humidity.
- Sticks to all carton surfaces and is 100% recyclable.



Product Code
21636

All Purpose Tape 50mm x 50m

- All purpose duct tape.
- Easy tear.
- Tough, durable & waterproof.



Product Code
21567

Handy Wrap

- Wrap: 100mm x 150m
- Applicator: 100mm



Type	Product Code
Wrap	21586
Applicator	21585

Tape Gun

- Can be used with a wide range of tapes for fast and efficient carton sealing and waste reduction.
- Ergonomic grip for comfort during prolonged use.



Product Code
21637

Duct Tape 50mm x 25m

- Suitable for waterproofing and wind-proofing applications.



Product Code
21616

Stretch Wrap 400mm x 300m

- Suitable for wrapping palletised goods to provide protection and support during distribution and storage.



Product Code
21565

Hultafors Hi-Vis Retractable Knife

- Easy tool-free blade change.
- Spring loaded blade magazine in the handle for 10 spare 60mm blades (included).
- 4 stage blade lock.



Type	Product Code
Knife	XMS003
Blades (Pack 100)	XMS018

Disposable Vinyl Gloves (100)

- Industrial Grade – AQL 4.0.
- Latex free.
- Suitable for food handling.
- Complies with PPE Regulation (EU) 2016/425 & (EU) No 10/2011.



Size	Product Code
Large (9)	21573
Extra Large (10)	21573/XL

Disposable Latex Gloves (100)

- Industrial Grade - AQL 4.0.
- Medical grade single use gloves.
- Complies with PPE Regulation (EU) 2016/425, BS EN 455 Parts 1-4:2000 to 2009 & (EU) No 10/2011.



Size	Product Code
Large (9)	21572
Extra Large (10)	21572/XL

Multi-Purpose Latex Grip Gloves

- Seamless cotton liner with latex coated palm for excellent grip.
- Conforms to EN388:2016 and EN420 Standards.



Size	Product Code
Large (9)	21589
Extra Large (10)	21588

Nitrile Palm Multi-purpose Glove

- Latex and silicone free.
- Anti-static according to EN1149.



Size	Product Code
7	21546
8	21547/1
9	21547
10	21547/2

Waterproof Nitrile Palm Gloves

- Ideal when working outdoors or in damp environments.
- Manufactured to CE EN 388, EN ISO 21420.



Size	Product Code
9	21531
10	21532

Criss Cross Gloves (Large)

- PVC lattice finish on a knitted base provides high level of dexterity and grip.



Product Code
21576

Draeger X-Plore 1310 FFP1 Mask With Valve

- Protects against solid and liquid particles only.
- Complies to Standard EN149:2001 + A1:2009



Product Code
21558

Moldex Classic Mask With Valve

- Protective level: FFP2 10 x Workplace Exposure Limit.
- Protective level: FFP3 20 x Workplace Exposure Limit.
- Tested and certified to EN 149:2001+A1:2009



Grade	Product Code
FFP2 (2405)	21541
FFP3 (2555)	21536

Moldex 3408 Air Plus FFP3 (Weekly) Pro Valve Mask

- Protection Level - Carcinogenic dusts, fumes and water/oil based aerosols.
- Conforms to EN 149:2001+A1:2009.



Product Code
21540

Air Stealth Lite Pro FFP3 R D Mask

- Size - Medium/Large.
- Respiratory protection - BS EN 149 FFP3 RD.
- Assigned Protection Factor - APF20.



Product Code
26895

Air Stealth FFP3 (R) Half Mask

- Respiratory protection - BS EN143 P3R.
- Assigned Protection Factor - APF20.



Size	Product Code
Small/Medium	26841
Medium/Large	26842
Filters (Pair)	26843
Nuisance Filters	26844
Storage Case	26911

Airshield Pro Respirator

- For use with all wood working.
- Confirms to BS EN 12941.
- 8 hour battery.



Part	Product Code
Respirator	26769
Replacement Filter	26766
Replacement Visor	26767 (10 Pack)
8 Hour Battery	26768

Contour Ear Plugs 35dB

- Soft PU-foam
- Tested and certified to EN 352-2:2002.



Size	Product Code
Small (x1 Pair)	21550/1
Normal (x 50 Pairs)	21550

Ear Protection 30dB

- High quality, robust ear muff.
- Tested and certified to EN 352-1:2002.



Product Code
21549

Trend Safety Spectacles (Clear)

- Provides impact and UV protection.
- Certified to EN 166:2001.



Product Code
26831

Cat III Type 5/6 Coverall

- Head to ankle protection.
- Conforms to CE Standard EN ISO 13982-1: BS EN 13034: BS EN1073-2: BS EN 1149-5.



Size	Product Code
Large (5'8"-6'0")	21605
X Large (5'11"-6'2")	21606

Carpenter's Apron White

- Machine washable.
- Protects clothing from dyes and dust.
- Long tie ribbons.
- One size fits all.



Product Code
21560

Shield Floor Protection

- Floor Protection - 90cm x 27.5m.
- Cloth Tape - 48mm x 50m.



Type	Product Code
Floor Protection	21596
Cloth Tape	21591

Protective Hard Surface Film
600mm x 25m

- Thickness: 50microns.
- Provides greater protection than dust sheets.
- Easy peel.
- Lightweight & waterproof.
- Fire Tested: BS EN 11925-2:2002, BS EN 13501-1:2002.



Product Code
21598

Protective Carpet Film
600mm x 25m

- Thickness: 50microns.
- Protects against spills.
- Easy peel.
- Lightweight & waterproof.
- Fire Tested: BS EN 11925-2:2002, BS EN 13501-1:2002.



Product Code
21597

Harris 12' x 9' Cotton Dust Sheet


- Protects carpets/furniture whilst decorating.
- 100% pure cotton.
- 3.65m x 2.75m approx.
- Washable and reusable.



Product Code
T0046

Tarpaulin (Eye) Green/Silver

- Laminated woven polyethylene material.
- Heat sealed, poly rope reinforced hem.
- Highly durable, tear, stretch and UV resistant, with rust resistant metal eyelets.
- The colour is reversible between silver and green.



Size	Product Code
12' x 9'	TB0457
18' x 12'	TB0458

Hand Brush

- Made using natural materials.
- For use in dry conditions.



Size	Product Code
Soft Coco	TB0368
Stiff Bassine	TB0369

Heavy-Duty Rubble Sacks

- Size: 530 x 810mm.
- Thickness: 125 Microns.
- Capacity: 48L



Product Code
TB0376

220mm Plastic Dustpan & Brush Set

- Soft bristle PVC banister brush.
- Clip-in brush for compact storage.



Product Code
TB0375

Industrial Bucket Blue 3 Gallon/14L

- Capacity: 14 litre (3 gallon)
- Internal Diameter (approx.): Bottom 228mm. Top 320mm.
- Internal Height: 260mm



Product Code
TB0459

Gorilla Tub

- Gorilla Tubs can be used for tool bags, water tubs, rubble removers etc.
- UV and frost resistant.
- Handles CE Tested.
- Reinforced in key areas for durability and flexibility.



Size	Product Code
Medium (26L)	TB0331
Large (38L)	TB0332
Extra Large (75L)	TB0333

T32 Dust Extractor 800W

- 20L Capacity.
- Meets standard 2006/42/EC.
- H13 HEPA Fire-retardant filter system.
- Low flow indicator.
- Integrated filter cleaning system.
- Dry pick up.
- 3m hose/5m power cord.
- On board storage of adaptor and crevice tool.



Type	Product Code
230V + x5 Bags	26893
110V	26896

T33A (230V) Wet & Dry Dust
Extractor 1200W 230V

- M Class HSE Construction Site rating.
- Auto-Start Function.
- Pleated HEPA Filter.
- Multifunction Wet and Dry collection.
- Compact and lightweight for easy transportation.
- 5 metre hose.



Product Code
26906

5x Micro filter bags for T32 & T33
Dust Extractors

- Capacity - Approx. 15L.
- Aperture: 57mm.
- Size flat: 685 x 330mm.



Product Code
26897

T35A - Wet & Dry Dust Extractor
1400W 230V + Pack 5 Bags

- Professional wet and dry Class M auto-start vacuum extractor.
- Dust class category M rated to EN60335-2-69.
- Container volume (dry): 27L.
- Container volume (wet): 16L.



Type	Product Code
Extractor + x5 Bags	26904
x5 Filter Bags	26905

Osmo Polyx-Oil


- Ideal for protecting wooden floors and furniture.
- Resistant to dirt, water and abrasion and provides a smooth surface.
- Apply 2 coats on raw wood. For renovation, 1 coat applied to a clean and dry surface.
- Drying Time: 8-10 Hours/Rapid 4-6 hours.
- 1Ltr covers approx. 24m² (1 coat).
- Finish: Clear.



Finish	0.75L	2.5L
Gloss-Clear (3011)	-----	29151/GL
Satin (3032)	29150	29151
Matt (3062)	29150/1	29151/M
Semi-Matt Clear (3065)	29150/SM	29151/SM
Rapid/Satin Clear (3232)	29150/R	29151/R
Rapid/Matt Clear (3262)	-----	29151/MR

Osmo Top Oil 0.5L

- Micro-porous natural hardwax-oil is extremely hardwearing.
- Water repellent and dirt resistant.
- When dry, finish is safe for humans, animals and plants as well as being safe with food preparation, thus ideal for kitchen worktops.
- Drying Time: 8-10hours
- 0.5Ltr covers approx. 12m² (1 coats)
- Finish: Clear Matt



Finish	Product Code
Clear Satin (3028)	29156/2
White (3037)	29156/W
Terra (3038)	29156/T
Graphite (3039)	29156/G
Clear Matt (3058)	29156
Acacia (3061)	29156/A
Natural (3068)	29156/N

Fiddes Hardwax Oil 2.5L


- Quick drying and water repellent with a treadfast finish.
- Drying Time: 4-6hours.
- 1Ltr covers approx. Up to 24m² (1 coat).
- Finish: Clear, Satin.



Product Code
29250

Osmo Polyx-Oil - Tints

- Accentuates the natural colour and grain of wood with a permanent wet look.
- Interior use - flooring, furniture and joinery.
- Water-repellent, dirt-resistant and durable.
- Drying Time: Tints 24hours/Raw 8-10hours.
- 1Ltr covers approx. 30m² (1 coat)



Finish	0.75L	2.5L
White (3040)	29150/W	29151/W
Raw (3044)	29150/RAW	29151/RAW
Honey (3071)	29150/LO	29151/LO
Amber (3072)	29150/MO	29151/MO
Terracotta (3073)	29150/DO	29151/DO
Graphite (3074)	29150/G	29151/G
Anti-Slip (3089)	-----	29276

Osmo Door Oil 1L

- Micro-porous oil that does not crack, peel, flake or blister.
- Ideal for protecting interior doors made of solid wood.
- Suitable for veneered doors and furniture.
- Drying Time: 8-10hours
- 1Ltr covers approx. 24m² (1 coats).



Finish	Product Code
RAW (3033)	29156/R
Clear Satin (3060)	29156/1

Osmo Wood Wax Extra Thin (1101) Clear Transparent


- Suitable for protecting interior wood, wall and ceiling panelling, wooden flooring, furniture and toys.
- Due to its water repelling qualities, this is well suited to use in wet rooms.
- Particularly suited for coating woods such as teak, cedar, iroko etc.
- Penetrates deeply to protect against wear, dirt and moisture.
- Drying Time: 12hours.
- 1Ltr covers approx. 20m² (1 coat).



Sizes	Product Code
0.75L	29154
2.5L	29155

Osmo UV - Protection Oil

- Natural oil-based with micro-porous finish which does not crack, flake, peel or blister.
- Water and dirt resistant, moisture regulating and reduces wood swelling and shrinkage.
- Protection Oil (420) contains biocides to protect against algae, mildew and fungal attack.
- Drying Time: 12hours 1Ltr covers approx. 18m² (1 coat).
- Finish: Clear, Satin - matt.



Finish	0.75L	2.5L	3L
Protection Oil (410)	29186	29187	-----
Protection Oil Extra (420)	29218	29219	29202

Osmo Decking Oil 2.5L


- Clear - suitable for all exterior wooden decking and stairs particularly smoother surfaces.
- Provides a slip resistant surface.
- Recommended as a top coat for Osmo decking oils.
- UV resistant.
- Drying Time: 12hours 019 & 006/8-10hours 430.
- 1Ltr covers approx. 24m² (1 coats).



Finish	Product Code
Bangkirai (006)	29174/B
Larch (009)	29273
Garapa (013)	29272
Grey (019)	29174/G
Black (020)	29327
Bog Oak (021)	29271
Clear (Anti-Slip) (430)	29174
Clear (Anti-Slip) (430) - 0.75L	29174/1

Osmo Decking Oil (007) Teak Clear

- Designed and produced to meet the individual demands of exotic wood species.
- Osmo Teak Oil does not offer UV protection.
- Drying Time: 12hours.
- 1Ltr covers approx. 24m² (1 coats).
- Finish: Transparent, Satin-Matt (007).



Size	Product Code
0.75L	29173
2.5L	29173/1

Osmo UV - Protection Oil Tints

- Contains biocides to protect against algae, mildew and fungal attack.
- Slightly pigmented to provide higher UV-resistance.
- Osmo Natural 429 has the strongest UV-resistance.
- Drying Time: 12hours.
- 1Ltr covers approx. 18m² (1 coat).



Finish	0.75L	2.5L	3L
Oak (425)	29192	29192/1	29127
Larch (426)	-----	29274	-----
Red Cedar (428)	29182	29182/1	29126
Natural (429)	29184	29185	-----
Light Red Cedar (431)	-----	29325	29125
Light Oak (432)	-----	29326	-----

Osmo - One Coat Only

- Semi-transparent, satin exterior and interior use finish with minimum solvent content.
- The finish enhances the natural wood grain texture and is micro-porous which leaves a breathable surface.
- Drying Time: 12hours.
- 1Ltr covers approx. 26m² (1 coat)
- Finish: Transparent/satin-matt.



Finish	0.75L	2.5L
White Spruce (9211)	29157	29157/1
Silver Poplar (9212)	29158	29171
Pine (9221)	29159	29159/1
Mahogany (9232)	29161	29176
Scandinavian Red (9234)	29162	29162/1
Red Cedar (9235)	29163	29203
Larch (9236)	29179	29204
Oak (9241)	29164	29172
Fir Green (9242)	29165	29165/1
Walnut (9261)	29167	29177
Teak (9262)	29168	29178
Rosewood (9264)	29169	29175
Ebony (9271)	29170	29170/L

Osmo Natural Oil Woodstain

- Fast drying, base coat and top coat in one.
- Natural wood grain remains visible.
- Extremely weather and UV resistant.
- Contains active ingredients which protect from mould, algae and fungal attack.
- Ideal for many exterior functions.
- Drying Time: 4-6hours.
- 1Ltr covers approx. 26m² (with 1 coat)
- Finish: Transparent, Satin-matt



700	701	702
703	706	707
708	710	712
727	728	729
732	900	903
905	906	1143

Finish	0.75L	2.5L
Pine (700)	29220	29221
Matt-Clear (701)	29257	29258
Larch (702)	29222	29223
Mahogany (703)	29224	29225
Oak (706)	29226	29227
Walnut (707)	29228	29229
Teak (708)	29230	29231
Stone Pine (710)	29247	29248
Ebony (712)	29232	29233
Rosewood (727)	29234	29235
Red Cedar (728)	29236	29238
Fir Green (729)	29239	29240
Light Oak (732)	29253	29253/1
White (900)	29241	29242
Basalt Grey (903)	29243	29244
Patina (905)	29249	29249/1
Pearl Grey (906)	-----	29275
Onyx-Silver (1143)	29237	29237/1

Osmo WR Base Coat (4001) Clear

- Protects any exterior wooden surfaces which are not under static load and not in constant contact with the ground.
- Extremely water repellent with a very low odour.
- A finishing product from the Osmo range is required within three months.
- Drying Time: 12hours.
- Apply up to 160 - 200ml per sqm.



Sizes	Product Code
0.75L	29181
2.5L	29180

Osmo Country Colour

- A highly durable, opaque, satin wood finish for exterior use.
- It will not crack, flake, peel or blister.
- Highly resistant to dirt and moisture.
- Drying Time: 8-10hours.
- 1Ltr covers approx. 26m² (1 coats).
- Finish: Satin Matt.



2101	2203	2204
2308	2310	2311
2404	2501	2506
2507	2607	2703
2704	2708	2716
2735	2742	Agate Grey

Finish	0.75L	2.5L
White (2101)	29208/1	29208/2
Light Ochre (2203)	29208/21	29208/20
Ivory (2204)	29208/8	29208/4
Nordic Red (2308)	29208/19	29208/14
Cedar Redwood (2310)	29208/31	-----
Signal Red (2311)	29208/29	29208/30
Fir Green (2404)	29208/5	29208/7
Labrador Blue (2501)	29208/13	29208/12
Royal Blue (2506)	29208/22	29208/15
Dove Blue (2507)	29208/10	29208/18
Dark Brown (2607)	-----	29208/35
Charcoal (2703)	29208/24	29208/23
Dusk Grey (2704)	29208/9	29208/17
Pebble Grey (2708)	29208/11	29208/16
Anthracite Grey (2716)	29208/32	29208/33
Light Grey (2735)	29208/25	29208/26
Traffic Grey (2742)	29208/27	29208/28
Agate Grey (RAL 7038)	-----	29208/34

Osmo Wood Protector (4006) Clear

- Preservative wood primer developed for moisture prone wood.
- Can be used on interior and exterior woods.
- Drying Time: 24 hrs.
- Approx Cov. 8m² (1 coat).



Sizes	Product Code
0.75L	29183
2.5L	29183/1

Osmo Wash & Care Floor Cleaner 1L (8016)

- Multi-purpose.
- A cleaning and maintaining concentrate for wooden floors.
- Drying Time: Mop to dry
- Dosage: Approx 1 capful per 1L of water.



Product Code

29152

Osmo Wood Reviver (6609)

- Gel cleaner for refreshing greyed wood.
- Easy to apply with a brush.
- Recommended for wooden decking, timber cladding, garden furniture etc.
- Odourless and biodegradable.
- Approx. Coverage : 10m²/L.



Sizes

500ml

2.5L + Brush

Product Code

29214

29214/1

Osmo Opti Set With Mop

- For cleaning and maintaining various floor types e.g. wooden, vinyl, tiled, and natural stone flooring.



Product Code

29255

Osmo Liquid Wax Cleaner (3029)

- Ideal for removing tough stains, grease, shoe polish, and refreshing all surfaces treated with Osmo Polyx Oil.
- Drying time: 30-40 minutes
- 1Ltr covers approx. 80-100m²



Sizes

400ml

1L

Product Code

29200

29153

Osmo Paint Stripper 1L (6000)

- Low odour.
- Approx. Coverage : 2-4m²/L.



Product Code

29277

Osmo Telescopic Handle for Cleaning Kit

- Handle length: 110-220 cm.
- Connection: Quick-connect technology.
- The Telescopic Handle can, for example, be connected with Osmo Floor Brush, Pad Holder or even with Osmo Cleaning Mop Kit for Floors.



Product Code

29256

Osmo Cleaner Spray 0.5L (8026)

- Ideal for use with interior oiled and waxed wooden surfaces.



Product Code

29322

Osmo Easy Pads/Application Cloths 325 x 340mm

- Ideal for applying oils and wax to smaller areas.
- Can also be used for cleaning.



Product Code

29269 (x10)

Osmo Brush Cleaner And Thinner 1L (8000)

- Benzene-free.
- Ideal for cleaning tools after applying finishes (oil and artificial resin-based), can be used for thinning solvent based finishes.



Product Code

29206

Osmo Anti-bac Wood Cleaner 500ml (8036)

- Ideal for maintaining wood surfaces treated with hardwax.
- Apply thinly to avoid damage and wearing of treatment.



Product Code

29328

Osmo Quality Brushes

- Made from natural products.
- Suitable for all Osmo oil based products.
- Stiff, flat bristles for high coverage.



Sizes

1" (25mm)

2" (50mm)

2.5" (60mm)

4" (100mm)

Product Code

29211

29212

29215

29216

Oxalic Acid Crystals 1kg

- Remove stains such as ink from wood and rust stains from a variety of materials such as concrete.
- Also mildly bleaches wood.



Product Code

32109

Osmo Gard Clean 1L (6606)

- A highly effective cleaning concentrate developed for the easy removal of green growth and other natural pollutants.
- Self-acting - no scrubbing necessary.
- Prevents new growth.
- Approx. Coverage : 30-100m²/L



Product Code

29213

Osmo Quality Floor Brush 220mm

- 100% natural hair bristles and high quality beech head.
- Suitable for all Polyx Oils, wood wax finishes and decking oils.
- Just add a handle e.g. 29256.



Product Code

29217

Hafele Partner

Did you know we are a partner of Hafele and can supply their product range next day.

Please contact us with your enquiry and we will be happy to assist you.

HÄFELE

Liberon Liquid Beeswax & Pure Turpentine Clear

- Traditional wax that nourishes wood and protects against dryness.
- Suitable for both hard and soft woods.
- EN71 Part 3 Approved – Safe for toys.
- Use internally.
- Drying Time: Minimum 1 Hour
- 1L covers approx. 10-12m²



Sizes	Product Code
500ml	32179
5L	32178

Liberon Bison Paste Wax 500ml

- Enhances faded wood.
- Drying Time: 20minutes.
- 500ml covers approx. 5-6m²



Colour	Product Code
Clear	32251
Neutral (1L)	32375
Antique Pine	32251/1
Dark Oak	32251/2
Golden Pine	32251/4
Medium Oak	32251/5
Stripped Pine	32251/6
Tudor Oak	32251/7
Victorian Mahogany	32251/8

Liberon Finishing Oil

- A blend of high quality oils for use on all interior wood.
- It is suitable for use on worktops, kitchen tables and bathroom furniture and can also be applied to cork, stone and terracotta.
- Drying Time: Minimum 5hours.
- 1L covers approx. 10-12m².



Sizes	Product Code
1L	32317
5L	32312

Liberon Bison Liquid Wax

- Suitable for coating interior woodwork e.g. floors, doors, stairs etc.
- Nourishes and protects all types of wood.
- Drying Time: Minimum 30mins
- 1L covers approx. 10-12m²



Finish	500ml	5L
Clear	32173	32174
Medium Oak	32173/1	32174/2
Dark Oak	32173/2	-----

Liberon Liming Wax 250ml

- Provides a high quality limed finish.
- To be used in conjunction with 32173/32174 (for best results apply these 5 minutes after liming wax).
- Drying Time: 5minutes.
- Coverage: 250ml = 3 – 4 m².



Product Code
32255

Liberon Superior Danish Oil

- A blend of quality oils which provides a soft satin sheen finish.
- Feeds and protects hard and soft woods.
- Suitable for interior/exterior use. (EN71 Part 3 Approved)
- Drying Time: Minimum 5hours.
- 1L covers approx. 10-12m².



Sizes	Product Code
500ml	32369/5
1L	32369/2
2.5L	32369/1
5L	32369

Briwax Original Clear Wax 400g

- Briwax is a fast drying blend of natural waxes suitable for use on most wooden surfaces.
- This product is not recommended for use in areas where it will come into contact with water.



Product Code
32249

Liberon Beeswax Paste & Pure Turpentine 500ml

- Traditional wax that nourishes wood protects against dryness.
- Drying Time: Minimum 1 Hour
- 1L covers approx. 10-12m².



Colour	Product Code
Clear	32176
Antique Pine	32176/1
Dark	32176/2

Liberon Boiled Linseed Oil 1L

- Improved drying times over raw linseed oil.
- Can be used to seal terracotta tiles and porous surfaces prior to waxing.
- Drying Time: Minimum 4 days.
- 1L covers approx. 8-10m².



Product Code
32367

Fiddes Supreme Wax Polish 400ml

- Nourishes, protects and provides a lasting enhancement to all woods.
- Made from high quality natural waxes.
- Drying Time: 10minutes.
- 1ltr covers approx 10m².



Finish	Product Code
Light	29260
Stripped Pine	29261
Antique Brown	29262
Forest Brown	29263
Rugger Brown	29264
Cherry Brown	29265

Liberon Pure Tung Oil

- Natural oil for wood care.
- Ideal for use on food contact surfaces.
- Water, heat and alcohol resistant. EN71 Approved.
- Suitable for interior/exterior use.
- Drying Time: 4 days final
- 1L covers approx. 10-12m².



Sizes	Product Code
250ml	32184
500ml	32185
1L	32186

Liberon Teak Oil

- A blend of high quality oils producing a hard wearing matt/satin finish.
- Suitable for both indoor and outdoor furniture, excluding oak.
- Drying Time: Minimum 24hours.
- 1L covers approx. 10-12m².



Sizes	Product Code
500ml	32190
1L	32191
5L	32192

Liberon Wax Filler Sticks

- Liberon wax filler sticks repair cracks, splits and small to medium size holes without sanding or having to strip the finish.
- Finish: Satin Matt/Various Colours.



Finish	Product Code
Ivory	32253/1
Light Oak	32253/2
Mahogany	32253/5
Dark Mahogany	32253/7
Medium Oak	32253/8
Dark Oak	32253/10
Ebony	32253/12
Light Pine	32253/15
Pine	32253/16
Dark Yew	32253/19
Light Walnut	32253/21
Medium Walnut	32253/3
Dark Walnut	32253/9
Magnolia	32253/25
White	32253
Rosewood	32253/23
Teak	32253/6

Liberon Ring Remover 125ml

- Removes most white water and heat marks.
- Suitable for use on varnishes, lacquers and French polishes.



Product Code
32309

Liberon Button Polish

- Suitable for antique finishes.
- An excellent all-round polish especially suited for restoration work as it does not strip antique finishes.



Size	Product Code
250ml	32215
1L	32216

Liberon Lubricating Wax 500ml

- Helps increase the efficiency and life of woodworking tools and machinery.
- A thin coat on machine tables will aid the movement of materials.
- Suitable for lubricating saw blades, cutters, drills and hand tools.
- Drying Time: Minimum 10minutes.
- 1Ltr covers approx. 10-12m².



Product Code
32362

Nitromors Paint & Varnish Remover

- Water washable.
- Quickly and easily removes various paints and varnishes.



Sizes	Product Code
375ml	32106/2
750ml	32106

Liberon Wood Bleacher

- Ideal for removing dark stains (rust, alcohol, damp, ink, ring marks).
- Lightens naturally dark wood or wood which has darkened through alkali stripping, staining or weathering.
- Pre-made and ready to use.
- Can be neutralized with water.
- Drying Time: 10 - 30minutes.
- 1L covers approx. 2-12m².



Size	Product Code
125ml	32107/2
500ml	32107

Liberon Wax & Polish Remover 500ml

- Removes old wax and grime from interior wood.
- Drying Time: 6hours.
- 1L covers approx. 8-10m².



Product Code
32101

Liberon Sanding Sealer 500ml

- Spirit based sealer for all types of new or stripped wood.
- Designed for use on decorative items only, which are then to be wax finished.
- Prevents ingress of dirt and grease into timber.
- Can be applied with a spray gun.
- Drying Time: 10-30minutes.
- 1L covers approx. 6-10m².



Product Code
32115

Liberon Knotting Pale 125ml

- Ideal for preventing seepage from knots in resinous woods prior to painting or varnishing and minimizing the discolouration of paint finishes.
- Suitable for clear finishes/light coloured woods, such as pine.
- Not required on oiled/waxed surfaces.
- Drying Time: Minimum 2hours.
- 125ml covers approx. 1-2m².



Product Code
32313

Rustins Patent Knotting 300ml

- Seals knots in untreated wood prior to painting.
- Prevents sap bleeding through paint.
- For use with all paint types.



Product Code
29092

Metolux Wet Rot Wood Hardener 250ml

- A highly penetrative formula which soaks deep into the fibres of decaying wood to leave the wood hard and resistant to moisture penetration.



Product Code
29087

Liberon Palette Wood Dyes 500ml

- An acrylic, water based dye for colouring bare wood.
- The acrylic element minimises grain raising allowing an even spread of colour on the softest of woods.
- 500ml covers approx. 4-6m².



Finish	Product Code
Antique Pine	32139
Dark Oak	32139/1
Light Oak	32139/3
Medium Oak	32139/4

Liberon Floor Varnish Natural Finish

- A long-lasting, hard-wearing finish for domestic wood or cork floors.
- Non-yellowing, provides a slip-resistant, durable and hard wearing clear finish.
- 1L covers approx. 10-12m².
- Finish: Clear gloss/Clear satin.



Size	Product Code
1L	32372
2.5L	32373

Liberon Stone Floor Cleaner 1L

- Water based heavy duty cleaner.
- Removes old wax, grease and grime on porous stone surfaces, subject to confirmation.
- Use to clean prior to sealing and refinishing.
- Drying Time: Minimum 1 hour.
- 1L covers approx. 15-20m².



Product Code
32329

Liberon Stone Floor Sealer

- Used to seal and protect interior stones and other types of porous stone flooring.
- Helps reduce dusting and resist marking from water, drink and food spillages.
- Use prior to Stone Floor Shine.
- Drying Time: 1h to touch - 24h final.
- 1L covers approx. 10-12m².



Size	Product Code
1L	32330
5L	32332

Liberon Stone Floor Shine 1L

- Water based formulation creating a protective, lasting shine for porous and sealed terracotta and stone flooring.
- Surfaces should be sealed first with Liberon stone floor sealer.
- Drying Time: 30 - 60minutes.
- 1L covers approx. 15-20m².



Product Code
32331

Harris Extra Edge Brush

- Suitable for use with all types of paints, stains and varnishes.



Size	Product Code
12mm	T0041
25mm	T0042
37mm	T0051
50mm	T0049
62mm	T0065
75mm	T0060
100mm	T0063

Harris Essentials Brush

- Synthetic filaments provide a superior finish with all paint types.



Size	Product Code
12mm	T0012
25mm	T0013
37mm	T0014
50mm	T0015
75mm	T0016
100mm	T0017

Harris Essentials Brush Set

- T0018 - 1 x 25, 37, 50mm.
- T0044 - 1 x 12, 25, 37mm, 2 x 50mm.
- T0070 - 1 x 25, 37, 50mm.



Size	Product Code
3 Brush Set	T0018
5 Brush Set	T0044
3 Gloss Brush Set	T0070

Stanley Brush Set of 10

- Suitable for use with all types of paints, stains and varnishes.
- Pure black bristles and a rust resistant ferrule.
- Contains:
 - 2 x 12mm (1/2in) Brushes
 - 2 x 25mm (1in) Brushes
 - 3 x 38mm (1.1/2in) Brushes
 - 2 x 50mm (2in) Brushes
 - 1 x 75mm (3in) Brush



Product Code
T0054

Shed and Fence Brush 100mm

- Wood care paint brush with a long length synthetic and natural bristle mix that is hardwearing and suitable for use with all modern wood care finish products.



Product Code
T0019

100mm Mini Roller Frame, Tray & 2 Refills

- 1 x Roller tray
- 1 x Frame
- 2 x 100mm (4in) roller refills: foam and medium pile.
- Suitable for use with gloss or emulsion paints and ideal for painting in awkward or restricted areas.



Product Code
T0025

Mini Rollers

- These high quality mini roller sleeves are ideal for smaller scale jobs.



Size	Product Code
Emulsion x 2	T0027
Gloss x 2	T0026
Emulsion x 10	T0048
Gloss x 10	T0066

Standard Wood Screws - Passivated

- Especially suited to man-made board and most hardwoods.

CORROSION RATING



Clean, dry & low humidity environments



SOFTWOOD



CHIPBOARD




Size	Bit Size	Box Quantity	Product Code
2.5 x 16mm	PZ1	1000	10299
3 x 12mm	PZ1	200	10300
3 x 16mm	PZ1	200	10302
3 x 17mm	PZ1	200	10303
3 x 20mm	PZ1	200	10304
3 x 25mm	PZ1	200	10305
3 x 30mm	PZ1	200	10307
3.5 x 12mm	PZ2	200	10309
3.5 x 15mm	PZ2	200	10310
3.5 x 16mm	PZ2	200	10308
3.5 x 17mm	PZ2	200	10311
3.5 x 20mm	PZ2	200	10312
3.5 x 25mm	PZ2	200	10313
3.5 x 30mm	PZ2	200	10314
3.5 x 35mm	PZ2	200	10315
3.5 x 40mm	PZ2	200	10316
3.5 x 50mm	PZ2	200	10318
4 x 17mm	PZ2	200	10320
4 x 20mm	PZ2	200	10321
4 x 25mm	PZ2	200	10322
4 x 30mm	PZ2	200	10323
4 x 35mm	PZ2	200	10324
4 x 40mm	PZ2	200	10325
4 x 45mm	PZ2	200	10326
4 x 50mm	PZ2	200	10327
4 x 60mm	PZ2	200	10329
4 x 70mm	PZ2	200	10330
4 x 80mm	PZ2	200	10346
4.5 x 22mm	PZ2	200	10331
4.5 x 25mm	PZ2	200	10377
4.5 x 30mm	PZ2	200	10333
4.5 x 35mm	PZ2	200	10332
4.5 x 40mm	PZ2	200	10334
4.5 x 50mm	PZ2	200	10336
4.5 x 60mm	PZ2	200	10337
4.5 x 70mm	PZ2	200	10338
4.5 x 80mm	PZ2	200	10347
5 x 25mm	PZ2	200	10339
5 x 30mm	PZ2	200	10340
5 x 35mm	PZ2	200	10345
5 x 40mm	PZ2	200	10341
5 x 45mm	PZ2	200	10342
5 x 50mm	PZ2	200	10343
5 x 55mm	PZ2	200	10344
5 x 60mm	PZ2	200	10358
5 x 70mm	PZ2	200	10359
5 x 80mm	PZ2	200	10360
5 x 90mm	PZ2	100	10361
5 x 100mm	PZ2	100	10362
5 x 120mm	PZ2	100	10374
6 x 40mm	PZ3	200	10363
6 x 50mm	PZ3	100	10364
6 x 60mm	PZ3	100	10365
6 x 70mm	PZ3	100	10367
6 x 80mm	PZ3	100	10366
6 x 90mm	PZ3	100	10371
6 x 100mm	PZ3	100	10368
6 x 120mm	PZ3	100	10369
6 x 130mm	PZ3	100	10373
6 x 150mm	PZ3	100	10371/1
6 x 180mm	PZ3	50	10371/2
6 x 200mm	PZ3	100	10375

Velocity Premium Multi-Use Screws

- Velocity provide an exceptional hold for many materials whilst also affording quick and easy installation.



Occasionally damp/wet, rural and sheltered areas



HARD & SOFT WOODS



MAN MADE BOARDS



THIN METAL



PLASTIC



Size	Bit Size	Box Quantity	Product Code
3 x 16	PZ1	200	10700
3 x 20	PZ1	200	10701
3 x 30	PZ1	200	10702
3 x 40	PZ1	200	10703
3.5 x 12	PZ2	200	10704
3.5 x 16	PZ2	200	10705
3.5 x 20	PZ2	200	10706
3.5 x 25	PZ2	200	10707
3.5 x 30	PZ2	200	10708
3.5 x 40	PZ2	200	10709
3.5 x 45	PZ2	200	10710
3.5 x 50	PZ2	200	10711
4 x 16	PZ2	200	10712
4 x 20	PZ2	200	10713
4 x 25	PZ2	200	10714
4 x 30	PZ2	200	10715
4 x 35	PZ2	200	10716
4 x 40	PZ2	200	10717
4 x 45	PZ2	200	10718
4 x 50	PZ2	200	10719
4 x 60	PZ2	200	10720
4 x 70	PZ2	200	10721
4 x 80	PZ2	200	10722
4.5 x 30	PZ2	200	10723
4.5 x 40	PZ2	200	10724
4.5 x 50	PZ2	200	10725
4.5 x 60	PZ2	200	10726
4.5 x 70	PZ2	200	10727
4.5 x 80	PZ2	200	10728
5 x 30	PZ2	200	10729
5 x 40	PZ2	200	10730
5 x 45	PZ2	200	10731
5 x 50	PZ2	200	10732
5 x 60	PZ2	200	10733
5 x 70	PZ2	200	10734
5 x 75	PZ2	200	10735
5 x 80	PZ2	200	10736
5 x 90	PZ2	100	10737
5 x 100	PZ2	100	10738
6 x 40	PZ3	200	10739
6 x 45	PZ3	200	10740
6 x 50	PZ3	200	10741
6 x 60	PZ3	200	10742
6 x 70	PZ3	200	10743
6 x 80	PZ3	200	10744
6 x 90	PZ3	100	10745
6 x 100	PZ3	100	10746
6 x 120	PZ3	100	10747
6 x 130	PZ3	100	10748
6 x 150	PZ3	100	10749
6 x 180	PZ3	100	10750
6 x 200	PZ3	100	10751

MULTI-PURPOSE SCREWS

Countersunk Screws - A2 SS


- A general purpose pozi double countersunk head wood screw.



Size	Quantity	Product Code
3 x 20mm	500	24080
3.5 x 16mm	500	24161
3.5 x 20mm	500	24081
3.5 x 25mm	500	24082
3.5 x 30mm	500	24083
3.5 x 40mm	200	24083/1
4 x 20mm	500	24083/2
4 x 25mm	500	24084
4 x 30mm	500	24085
4 x 35mm	500	24086
4 x 40mm	200	24087
4 x 45mm	200	24087/1
4 x 50mm	200	24089
4 x 60mm	200	24090
4 x 70mm	200	24091
5 x 20mm	500	24091/1
5 x 25mm	500	24092/1
5 x 30mm	500	24097
5 x 35mm	500	24092
5 x 40mm	200	24098
5 x 50mm	200	24093
5 x 60mm	100	24094
5 x 70mm	100	24095
5 x 80mm	100	24099/1
5 x 90mm	100	24099/2
5 x 100mm	100	24096
6 x 30mm	100	27129
6 x 40mm	100	27130
6 x 50mm	100	27093/1
6 x 80mm	100	27131
6 x 100mm	100	27132
6 x 150mm	100	27133

Countersunk Screws - Black

- A general purpose pozi wood screw.



Size	Quantity	Product Code
7 x 1"	200	24099
8 x 3/4"	200	24100
8 x 1"	200	24101
8 x 1 1/4"	200	24102
8 x 1 1/2"	200	24103
8 x 2"	200	24104
10 x 3/4"	200	24105
10 x 1"	200	24106
10 x 1 1/4"	200	24107
10 x 1 1/2"	200	24108
12 x 1 1/2"	200	24110
12 x 2"	200	24111

Countersunk Screws - Bronze

- Bronzed steel pozi hospa screw.



Size	Qty	Product Code
3 x 17mm	100	17319
3 x 17mm	1000	24044/S
3.5 x 17mm	1000	24044/W
4 x 17mm	1000	24044/X
4 x 20mm	1000	24044/Z

Countersunk Screws - A2 SS

- A general purpose torx double countersunk head wood screw.
- *Partial thread.



Size	Quantity	Product Code
3.5 x 25mm	500	24149
3.5 x 30mm	500	24150
4 x 20mm	500	24152
4 x 25mm	500	24140
4 x 30mm	500	24141
4 x 40mm	200	24142
4 x 50mm	200	24143
4 x 60mm	200	24153
5 x 30mm	500	24151
5 x 40mm	500	24154
5 x 50mm	200	24144
5 x 60mm	100	24145
5 x 70mm*	100	24146
5 x 80mm*	100	24147
5 x 100mm*	100	24148

Countersunk Screws - Brass

- Full diameter shank.
- Slotted brass screws.



Size	Quantity	Product Code
2 x 3/8"	200	24001
2 x 1/2"	200	24002
3 x 3/8"	200	24003
3 x 1/2"	200	24004
4 x 3/8"	200	24006
4 x 1/2"	200	24007
4 x 5/8"	200	24008
4 x 3/4"	200	24009
4 x 1"	200	24010
5 x 5/8"	200	24012
5 x 3/4"	200	24013
6 x 1/2"	200	24014
6 x 5/8"	200	24015
6 x 3/4"	200	24016
6 x 1"	200	24017
6 x 1 1/4"	200	24018
7 x 3/4"	200	24021
7 x 1"	200	24022
7 x 1 1/4"	200	24023
8 x 1/2"	200	24024
8 x 3/4"	200	24026
8 x 1"	200	24027
8 x 1 1/4"	200	24028
8 x 2 1/2"	200	24032
10 x 1"	200	24033
10 x 1 1/4"	200	24034
10 x 1 1/2"	200	24035
10 x 1 3/4"	200	24036
10 x 2"	100	24037

Countersunk Screws - Black

- Full diameter shank.
- Slotted black jappanned screws.



Size	Quantity	Product Code
6 x 3/4"	100	10416
8 x 3/4"	100	10417
8 x 1"	100	10418
8 x 1 1/4"	100	10419

Countersunk Screws - Zinc (200)

- Slotted zinc plated screws.



Size	Product Code
8 x 3/4"	10432
8 x 2"	10437

Round Head Screws - Black Jappanned

- Traditional slotted wood screw with a single thread.
- Ideally suited for wrought iron ironmongery.



Size	Quantity	Product Code
6 x 3/4"	200	10401
6 x 1"	200	10402
8 x 3/4"	200	10403
8 x 1"	200	10404
8 x 1 1/4"	200	10405
8 x 1 1/2"	200	10406
8 x 2"	200	10408
10 x 3/4"	200	10409
10 x 1"	200	10410
10 x 1 1/4"	200	10411
10 x 1 1/2"	200	10412
10 x 2"	200	10414

Dry Wall Screws


- Hardened bugle head with a coarse thread and a black phosphate finish.



Size	Quantity	Product Code
3.5 x 25mm	1000	28316
3.5 x 38mm	1000	28317
3.5 x 42mm	1000	28318
3.5 x 50mm	1000	28319
4.8 x 100mm	200	28322

Friction Hinge Screws - A2 SS

- Window fab screws for friction hinges.
- Shallow pan countersunk, single thread with gimlet tip.
- PH2 bit required.
- Grade 304 SS.



Size	Quantity	Product Code
4.3 x 20mm	1000	24088/1
4.3 x 25mm	1000	24088

Self-Tapping Wafer Head Screws - Zinc

- Also known as Baypole Screws.
- Size: 4.8mm.



Length	Quantity	Product Code
40mm	200	W4123
50mm	200	W4124
60mm	200	W4125
70mm	200	W4126
80mm	200	W4127
90mm	200	W4128

Screw Cups (100)


- Used to stop CSK screws pulling into timber.
- Should be used with removable panels and beads.
- Sold in 100's unless stated.



Size	Brass	Nickel Plated
5-6	30071	30071/N
7-8	30072	30072/N (55)
9-10	30073	30073/N

Plastic Screw Caps - Various

- Size: 6-8g (3.5-4.0mm) screws.
- Sold in 100's unless stated.



Colour	Quantity	Product Code
White	200	30063
Dark Brown	100	30064
Black	200	30066
Light Brown	100	30067
Chrome	100	30068

Large Plastic Screw Caps - Various (100)

- Provides decorative finish to surface screws.
- Size: 10-12g (5.0-6.0mm) screws.



Colour	Product Code
White	30065
Dark Brown	30065/1
Black	30065/2

Mirror Screws - Polished Chrome

- Decorative head hides screw.
- Sold in quantities of 8.
- Size: 8 x 1 1/2"



Product Code
30084

M5 Machine Screws CSK

- Spare screw for window espagnolette handles.



Length	Colour	Product Code
40mm	Silver	26345
50mm	Black	26347

Raised Head Espag Bolts 5 x 40mm


- Slotted countersunk screws ideal for espagnolette hardware.
- A2 grade Stainless Steel.
- Sold as singles.



Finish	Product Code
SS	26396
Black	29639B

Timber Screw - Hex Head - Green

- Size: 6.7
- Ideal for external applications.
- Corrosion rating: 3/5.



Length	Quantity	Product Code
60mm	50	26349
75mm	50	26350
87mm	50	26351
100mm	50	26344
125mm	50	26353
150mm	30	26344/1
175mm	50	26357
200mm	20	26344/2
225mm	50	26358
250mm	50	26344/3

Timber Screw - Hex Head - SS

- Size: 6.7
- Ideal for external applications.
- Corrosion rating: 5/5



Length	Quantity	Product Code
50mm	25	26360
75mm	25	26361
100mm	25	26362
125mm	25	26363
150mm	25	26364
200mm	25	26365
250mm	25	26366
300mm	25	26367

8mm/5/16" Socket Driver Bit (65mm Long)

- Socket driver bit to suit the above hex head timber screws.



Product Code
TB0382

Timber Screw - Wafer Head - Green


- Torx drive.
- Driver bit included.
- Corrosion rating: 3/5



Size	Quantity	Product Code
6.7 x 60mm	50	26368
6.7 x 75mm	50	26369
6.7 x 95mm	50	26370
6.7 x 125mm	50	26371
6.7 x 150mm	50	26372
6.7 x 175mm	50	26373
6.7 x 200mm	50	26374
6.7 x 225mm	50	26375
6.7 x 250mm	50	26376
6.7 x 275mm	25	26377
6.7 x 300mm	25	26378
6.7 x 350mm	25	26379
6.7 x 400mm	25	26380

Timber Screw - Wafer Head - SS


- Torx drive.
- Alternative to the traditional coach screw.
- Driver bit included.
- Corrosion rating: 4/5.



Size	Quantity	Product Code
8.0 x 80	20	26384
8.0 x 100	20	26385
8.0 x 125	20	26386
8.0 x 150	20	26387

C2 Tongue-Fix 3.5 x 45mm (350)

- Specially designed for attaching tongue and groove floorboards and panelling.
- TX10 drill bit size required.



Product Code
W6279

Decking Screws - Exterior Green


- Box of 200.
- Corrosion rating: 3/5.



Size	Product Code
4.5 x 50mm	10382
4.5 x 60mm	10383
4.5 x 70mm	10384

M4 Snap Off Screw Electro Brassed 45mm

- Snap the screw along its thread to suit length required up to 45mm.



Product Code

10400

M4 Snap Off Male + Female Bolt (Pair)

- For use with roses and escutcheons.
- To suit doors 35-60mm thick.
- Nickel-plated steel screw with sleeve.
- Pair (2 x male, 2 x female).



Product Code

10415

M4 Internal Threaded Sleeve

- For wood thickness - 28-36mm.
- Length - 27mm.
- Diameter - 5mm.
- Head Diameter - 9.7mm.



Product Code

10399

Wood to Metal Dowel Screw

- Wood to Metal connector.



Size	Product Code
M4 - 20mm (10/10mm)	34005
M6 - 40mm (20/20mm)	34005/1
M8 - 60mm (30/30mm)	34005/2
M10 - 80mm (40/40mm)	34005/3

Wood To Wood Threaded Screw

- Often used to connect knock down furniture legs etc.



Size	Product Code
8 x 1"	30134
10 x 2"	30135

Screw In Sleeve


- M refers to internal thread.



Size	Product Code
M4 x 10mm	24079
M6 x 15mm	24078
M8 x 20mm	24078/1
M10 x 20mm	24078/2

BZP Coach Bolt

- Zinc plated steel, Cup square head.
- Quantities shown in brackets.



Length	M6	M8	M10	M12
25	26310 (200)	-----	-----	-----
40	26311 (8)	26316 (100)	-----	-----
50	26312 (100)	26317 (100)	-----	-----
65	26313 (100)	26318 (50)	26323 (50)	-----
75	26314 (100)	26319 (4)	26324 (3)	26331 (25)
100	26315 (55)	26320 (50)	26325 (25)	-----
110	-----	-----	26326 (25)	26332 (25)
130	-----	26321 (50)	26327 (25)	26333 (10)
150	-----	26322 (25)	26328 (25)	26334 (10)
180	-----	-----	26329 (25)	-----
200	-----	-----	26330 (15)	-----

SS Coach Bolt

- A2 Stainless Steel.
- Cup square head.
- Sold in singles without nuts (unless stated).



Length	M6	M8	M10	M12
40	26311/1	-----	-----	-----
50	-----	26317/1	-----	-----
65	26313/1	26318/1	26323/1	-----
75	-----	-----	-----	26331/1
100	-----	26320/1	26325/1	-----
110	-----	-----	-----	26332/1 (25)

Hexagon Full Nuts

- Sold as singles (unless stated).



Size	SS	BZP
M6	26300/2	26300 (40)
M8	26301/2	26301 (30)
M10	26302/2	26302 (20)
M12	26303/2	26303 (10)
M14	-----	26348/2 (100)
M16	-----	26339/2 (45)

Heavy Washers

- Sold as singles (unless stated).



Size	SS	BZP
M6	26305/1	26305 (500)
M8	26306/1	26306 (100)
M10	26307/1	26307 (100)
M12	26308/1	26308 (100)
M14	-----	26348/1 (100)
M16	-----	26339/1 (100)

Hexagon Locking Nut Bright Zinc

- Zinc plated or stainless steel for increased corrosion resistance.
- Sold as singles (unless stated).



Size	Product Code
M6	26300/1 (20)
M8	26301/1 (200)
M10	26302/1
M12	26303/1

Mudguard Washer Bright Zinc

- 6mm diameter centre hole.
- Sold as singles (unless stated).



Size	Product Code
1"	26340 (100)
1.25"	26340/1
1.5"	26340/2

M6 Roofing Bolt & Nut BZP

- Connecting bolt.



Size	Quantity	Product Code
25mm	10	26455
40mm	8	26458
80mm	70	26460

Studding Bars (1m)



Size	SS	BZP
M6	26335/1	26335
M8	26336/1	26336
M10	26337/1	26337
M12	26338/1	26338
M14	-----	26348
M16	-----	26339

Metal Speed Plug Fixing 30mm

- Screws straight into plasterboard with a drill point screw which fits inside.
- 5 - 14kg rating.
- Sold in quantities of 75.



Product Code

26413

Zip-Fix Cavity Fixing (10)

- Heavy duty cavity wall anchor including 10 x 40mm & 10 x 60mm bolts.
- Covers a range of wall thicknesses up to 45mm and support up to 30kg.



Product Code

26416

Plastic Rawplugs Brown

- For 10-14 gauge screws.
- Drill Size: 7mm x 42mm.
- 18 - 50kg rating.



Quantity Product Code

15 (Inc. Screws)	26218
200	26204
1000	26202

Metal Cavity Anchor

- Anti-rotation teeth pierce the base skin to ensure firm anchorage and allows expansion of the fixing.
- Metal Cavity Anchor Gun available: 26415.
- 22-37kg rating.



Size Quantity Product Code

17mm	70	26411
26mm	60	26412

Multi-Fix Stella Fixings (25)

- Stella plasterboard fixing for attaching heavy objects to plasterboard and other cavity wall materials.
- 33 - 48kg rating.




Size Product Code

M5 x 55mm	26461
M5 x 65mm	26463
M5 x 80mm	26462
M5 x 90mm	26464

M8 Frame Fixings

- Drill straight through window or door frame, insert fixing and then tighten.
- Drill Size: 8mm.



Length Quantity Product Code

80mm	100	26213
100mm	40	26212
120mm	100	26210

Metal Cavity Anchor Gun

- Excellent product for plasterboard walls.
- All metal construction for heat resistant applications.
- Anti-rotation teeth pierce the base skin to ensure firm anchorage.



Product Code

26415

Plastic Rawplugs Red

- For 6-10 gauge screws.
- Drill Size: 5.5mm x 34mm.
- 18 - 50kg rating.



Quantity Product Code

25 (Inc. Screws)	26219
200	26203
1000	26201

M10 Frame Fixings

- Drill straight through window or door frame, insert fixing and then tighten.
- Drill Size: 10mm



Length Quantity Product Code

100mm	30	26217
135mm	50	26214
160mm	15	26215

Multi-fix Countersunk Head Screws (100)

- No plugs required.



Size Product Code

7.5 x 60mm	W4033
7.5 x 100mm	W4030
7.5 x 122mm	W4031
7.5 x 150mm	W4032

Multi-fix Pan Head Screws (100)

- No plugs required.



Size Product Code

7.5 x 100mm	W4036
7.5 x 120mm	W4037

None expansion for close to edge fixing

Serrated V-threads for optimum insertion

High-low start threads for rapid pick up

Rapid & Effective
Masonry & Concrete Screws

Ideal for fixing

- Concrete
- Brick
- Stone
- Block
- Wood

Countersunk

Install in just 2 easy steps

1 Drill

Drill the hole 90° to the substrate. Always over-drill the hole depth for dust clearance.

2 Fix

Using a power tool, tighten the fixing firmly against the attachment.

Countersunk

Pan Head

FirmaHold Collated Clipped Head Nails

- For use in structural applications.
- Various levels of rust protection to comply with building regulations.
- 34° collation angle.

With Fuel Cells

- 50 & 63mm length - x 3300 Nails + x 3 Fuel.
- 75 & 90mm length - x 2200 Nails + x 2 Fuel.



Size	Bright	FirmaGalv	Galv+	HDG
2.8 x 50mm (Ring)	25756	25655	25623	25760
2.8 x 63mm (Ring)	25757	25656	25625	25761
3.1 x 63mm (Ring)	-----	-----	25626	-----
3.1 x 75mm (Ring)	25758	25657	25627	25762
3.1 x 90mm (Plain)	25759	25658	25629	25763
3.1 x 90mm (P-Ring)	-----	-----	25628	-----

No Fuel Cells

- 50 & 63mm length - x 3300 Nails.
- 75 & 90mm length - x 2200 Nails.

Size	Bright	FirmaGalv	Galv+
2.8 x 50mm (Ring)	25752	25659	25663
2.8 x 63mm (Ring)	25753	25660	25664
3.1 x 63mm (Ring)	-----	-----	25665
3.1 x 75mm (Ring)	25754	25661	25666
3.1 x 90mm (Plain)	25755	25662	25667
3.1 x 90mm (P-Ring)	-----	-----	25668

FirmaHold Collated Clipped Head Nails - SS

- For use in structural applications.
- Various levels of rust protection to comply with building regulations.
- 34° collation angle.

With Fuel Cells

- All sizes - x 1100 Nails + x 1 Fuel.

Size	A2 SS
2.8 x 50mm (Ring)	25618
2.8 x 63mm (Ring)	25619
3.1 x 80mm (Ring)	25620

No Fuel Cells

- All sizes - x 1100 Nails.

Size	A2 SS
2.8 x 50mm (Ring)	25772
2.8 x 63mm (Ring)	25773
3.1 x 80mm (Ring)	25774

Framing Nailer Fuel Cell (2)

- For use with first fix brad nailers.
- Cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.
- 80ml volume.



Product Code

25631

FirmaHold Collated Brad Nails - Straight

- Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head.
- 20° collation angle.

With Fuel Cells

- Gauge 16 - x 2000 Nails + x 2 Fuel (Nails per strip - 50).

Size	Galvanised	A2 SS
16 x 19mm	25640	-----
16 x 25mm	25641	25648
16 x 32mm	25642	-----
16 x 38mm	25643	25649
16 x 45mm	25644	-----
16 x 50mm	25645	25650
16 x 64mm	25646	25651

No Fuel Cells

- Gauge 16 - x 2000 Nails (Nails per strip - 50).
- Gauge 18 - x 5000 Nails (Nails per strip - 100).

Length	Galv - 16g	Galv - 18g	A2 SS - 16g	A2 SS - 18g
16mm	-----	25699	-----	-----
19mm	25746	25700	-----	25711
25mm	25747	25701	25740	25712
32mm	25748	25702	-----	25713
38mm	25749	25704	25741	25715
45mm	25750	25709	-----	-----
50mm	25751	25705	25742	25716
64mm	25745	-----	25743	-----

FirmaHold Collated Brad Nails - Angled

- Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head.
- 20° collation angle.

With Fuel Cells

- Gauge 16 - x 2000 Nails + x 2 Fuel (Nails per strip - 50).

Size	Galvanised	A2 SS
16 x 32mm	25636	-----
16 x 38mm	25637	25652
16 x 45mm	25638	-----
16 x 50mm	25639	25653
16 x 64mm	25639/1	25654

No Fuel Cells

- Gauge 16 - x 2000 Nails (Nails per strip - 50).

Size	Galvanised	A2 SS
16 x 32mm	25669	-----
16 x 38mm	25670	25674
16 x 45mm	25671	-----
16 x 50mm	25672	25675
16 x 64mm	25673	25676

Finishing Nailer Fuel Cell (2)

- For use with second fix brad nailers.
- Cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.
- 30ml volume.



Product Code

25630

Paslode IM360Ci Nail & Fuel Packs

- The galvanised plus finish is suitable for external protected applications - Service Class 2.
- Suitable for indoor and covered outdoor applications.



Trade Pack

- 2.8 - x 3300 Nails + x 3 Fuel.
- 3.1 - x 3300 Nails + x 2 Fuel.

Size	Galv+
2.8 x 51mm (Ring)	25569
2.8 x 63mm (Ring)	25570
3.1 x 63mm (Ring)	25571
3.1 x 75mm (Ring)	25572
3.1 x 90mm (Ring)	25573
3.1 x 90mm (Plain)	25574

- The stainless steel material is suitable for external applications - Service Class 3.



Retail Pack

- All sizes - x 1100 Nails + x 1 Fuel.

Size	A2 SS
2.8 x 51mm (Ring)	25563
2.8 x 63mm (Ring)	25564
3.1 x 80mm (Ring)	25565

IM65 Straight Brad Nails & Fuels Packs

- The electro galvanised finish is suitable for indoor applications - Service Class 1.
- The A2 Stainless Steel material is suitable for external applications - Service Class 3.
- All sizes - x 2000 Nails + x 2 Fuel.



Size	Galvanised	A2 SS
16 x 16mm	25588	-----
16 x 19mm	25589	-----
16 x 25mm	25590	25580
16 x 32mm	25591	-----
16 x 38mm	25592	25581
16 x 45mm	25593	-----
16 x 50mm	25594	25582
16 x 63mm	25595	25583

Paslode IM350+ Nail & Fuel Packs

- The galvanised plus finish is suitable for external protected applications - Service Class 2.
- Suitable for indoor and covered outdoor applications.



Trade Pack

- 2.8 - x 3300 Nails + x 3 Fuel.
- 3.1 - x 3300 Nails + x 2 Fuel.

Size	Galv+
2.8 x 51mm (Ring)	25575
2.8 x 63mm (Ring)	25576
3.1 x 63mm (Ring)	25577
3.1 x 75mm (Ring)	25578
3.1 x 90mm (Plain)	25579

- The stainless steel material is suitable for external applications - Service Class 3.



Retail Pack

- All sizes - x 1100 Nails + x 1 Fuel.

Size	A2 SS
2.8 x 51mm (Ring)	25566
2.8 x 63mm (Ring)	25567
3.1 x 80mm (Ring)	25568

IM65 Angled Brad Nails & Fuels Packs

- The electro galvanised finish is suitable for indoor applications - Service Class 1.
- The A2 Stainless Steel material is suitable for external applications - Service Class 3.
- All sizes - x 2000 Nails + x 2 Fuel.



Size	Galvanised	A2 SS
16 x 32mm	25596	25584
16 x 38mm	25597	25585
16 x 45mm	25598	-----
16 x 50mm	-----	25586
16 x 51mm	25599	-----
16 x 63mm	25600	-----
16 x 64mm	-----	25587

IM360Ci Fuel Cell (1)

Gas fuel cell with added lubricant for Series-i cordless framing and positive placement nailers. Suitable for IM90i and IM360Ci Impulse framing nailers.



Product Code
25634

IM350+ Fuel Cell (2)

- Gas fuel cell with added lubricant for IM350+ and IM350 cordless framing nailers.
- Suitable for IM350+ and IM350 Impulse framing nailers.



Product Code
25633

IM65 Fuel Cell (2)

- Mini gas fuel cell with added lubricant for cordless finish nailers and staplers.
- Suitable for IM65/IM65A, IM50 gas finishing nailers and IM200 Stapler.



Product Code
25632

Heavy Duty Staples (1000)

- Galvanised finish.
- Suitable for a range of second fix applications.
- Suitable for use with Hardwood, Softwood, Chipboard, MDF, Plastic, Fabric and Membrane.



Size	Product Code
6mm	TB0257
8mm	TB0259
10mm	TB0258

Annular Nails - SS 5kg

- Annular rings provide additional holding power.



Size	Product Code
30mm	28373
40mm	28374
50mm	28375
65mm	28365
75mm	28366
100mm	28367

Rosehead Nails Black Oxide - 1kg

- (Approximate quantities are below).



Length	Approx. QTY	Product Code
25mm	475	28334
40mm	320	28337
54mm	158	28336
67mm	105	28335
75mm	84	28338

Metal Star Dowels

- For use on mortice and tenon joints.



Length	Quantity	Product Code
29mm	500	28302
33mm	500	28303
38mm	500	28304
44mm	500	28306
50mm	500	28307
60mm	500	28308

Cladding Pins (250)

- A4 Stainless steel pin used for cladding.
- Head Size: 5mm
- Length: 30mm



Product Code
W4029

Panel Pins - Zinc 500g

- Deep drive pin heads.



Size	Gauge	Product Code
15 x 1.25	18g	28100
15 x 1.0	19g	28101
20 x 1.0	19g	28103
20 x 1.4	17g	28102
25 x 1.4	17g	28104
30 x 1.4	17g	28106
40 x 1.6	16g	28108
50 x 1.6	16g	28109

Panel Pins - SS 500g

- For fixing mouldings etc.
- Gauge 16.



Size	Approx. QTY	Product Code
20 x 1.6	1445	28268
25 x 1.6	1136	28269
30 x 1.6	947	28270
40 x 1.6	751	28271

Panel Pins - Brass 500g

- For fixing mouldings etc.
- Won't react with water based stains or paints.



Size	Gauge	Product Code
20 x 1.4	17g	28260
25 x 1.6	16g	28261
30 x 1.6	16g	28262

Panel Pins - Sherardized 500g


- These pins are treated to stop timber stain and corrosion.
- Gauge: 16g



Size	Product Code
30 x 1.6	28220
40 x 1.6	28221

1/2 Wooden Pellets (100)

- These wood pellets are ideal for when you want to hide a screw hole within your doors or floors etc.
- Available in other materials.



Finish	Product Code
Beech	28298
Oak	28296

Hafele Biscuits (1000)

- For joining hard and soft woods, plywood, composition board etc.
- Compared to dowelling, biscuit jointing is faster and more precise.



Size	Product Code
0	26255
10	26259
20	26258

Trend Biscuits (100)


- Biscuit jointing has proven to be one of the strongest, fastest, safest and most accurate ways to join all kinds of wood.
- Compared to dowelling, biscuit jointing is faster and more precise.
- Swells when adhesive is applied.



Size	Product Code
0	26257
10	26259/1
20	26258/1
Mixed Bag	26256

C152 Biscuit Jointer

- D: 37.2mm.
- C: 4mm.
- B: 12.7mm.
- B2: 16mm.
- B3: 19mm.
- OL: 63.5mm.
- (For Biscuits: 0, 10 & 20).




C Trend Craft Range

Shank Diameter	Product Code
1/4"	26644

342X1/2TC - Biscuit Jointer Set

- D - 40 mm
- C - 4 mm
- B - 15 mm
- B2 - 19 mm
- B3 - 23 mm
- Shank Diameter - 1/2 inch



P Professional Range

Shank Diameter	Product Code
1/2"	26687

Plastic Packers 100 x 28mm

- Used as spacers to aide with levelling/ packing out.



Size	Product Code
1mm	W4051
2mm	W4052
3mm	W4053
4mm	W4054
5mm	W4055
6mm	W4056
Assorted (100)	W4050

Glazing Blocks (100)

- Setting blocks, location blocks and distance pieces for use in glazing.
- Available in both sloping and flat sections.



Size	Product Code
16 x 3 x 25mm	W4094
22 x 3 x 25mm	W4095

I Wedge Inflatable Air Wedge

- Hand or foot operated pump for ease of use.
- Multi use - can be used to lift, separate, protect and hold.
- Load capacity 135 kg and joint width 2mm to 50mm.



Product Code
26910

Worktop Connecting Bolt

- New style connecting bolt.



Size	Sold In	Product Code
65mm	1	30045
150mm	6	30046

Angle Bracket 19 x 19mm

- Used to re-enforce corners.
- Sold in quantities of 10.



Product Code
30094

Stretcher Plate 38 x 25mm

- Used to hold tops to frame and still allow for seasonal movements.



Quantity	Product Code
4	30095/SML
100	30095

Heavy Duty Angle Bracket 150 x 90 x 62mm

- Used to re-enforce corners.
- Pre-Galvanised.



Product Code
26208

Cam Fixing Plate

- Useful for connecting timbers.



Size	Product Code
178 x 85mm	26209
338 x 178mm	26211

HSS Drill Bit

- For use with metal, high speed steel (HSS).
- Sold in singles.



Size	Product Code
1mm	26260/1
1.5mm	26260/2
2mm	26260
2.5mm	26260/3
3mm	26261
3.5mm	26261/1
4mm	26262
4.5mm	26262/1
5mm	26263
5.5mm	26263/1
6mm	26264
6.5mm	26264/1
7mm	26265
7.5mm	26265/1
8mm	26266
8.5mm	26266/1
9mm	26267
9.5mm	26267/1
10mm	26268
10.5mm	26268/1
11.5mm	26269
12mm	26270
12.5mm	26270/1
13mm	26271

19 Piece HSS Drill Set

- For use with metal, high speed steel (HSS).
- Set consists of 1mm - 10mm bits in increments of 0.5mm.



Product Code
27100

17 Piece HSS (12) & Masonry (5) Drill Set

- HSS: 1.5mm - 6mm.
- Masonry: 5mm - 10mm.



Product Code
XMS100

15 Piece HSS Brad Point Drill Bit Set

- For use with metal, high speed steel (HSS).



Product Code
XMS098

7 Piece Flat Wood Bit Set

- Set Includes the following sizes:
- 10mm, 12mm, 16mm, 19mm 22mm, 25mm & 32mm.



Product Code
XMS099

Dewalt Tic Tac Box of PZ2 25mm Pozi Bits (25)

- Hardened core for extra strength and durability.



Product Code
DEWDT1

Steel Driver Bits

- S2 grade hardened steel for longer life



Size	PZ1	PZ2	PZ3
25mm (x10)	TB0355	TB0356	TB0357
50mm (x5)	TB0358	TB0359	TB0360