

## Osmo Polyx-Oil


- Ideal for protecting wooden floors and furniture.
- Resistant to dirt, water and abrasion and provides a smooth surface.
- Apply 2 coats on raw wood. For renovation, 1 coat applied to a clean and dry surface.
- Drying Time: 8-10 Hours/Rapid 4-6 hours.
- 1Ltr covers approx. 24m<sup>2</sup> (1 coat).
- Finish: Clear.



Finish	0.75L	2.5L
Gloss-Clear (3011)	-----	29151/GL
Satin (3032)	29150	29151
Matt (3062)	29150/1	29151/M
Semi-Matt Clear (3065)	29150/SM	29151/SM
Rapid/Satin Clear (3232)	29150/R	29151/R
Rapid/Matt Clear (3262)	-----	29151/MR

## Osmo Top Oil 0.5L

- Micro-porous natural hardwax-oil is extremely hardwearing.
- Water repellent and dirt resistant.
- When dry, finish is safe for humans, animals and plants as well as being safe with food preparation, thus ideal for kitchen worktops.
- Drying Time: 8-10hours
- 0.5Ltr covers approx. 12m<sup>2</sup> (1 coats)
- Finish: Clear Matt



Finish	Product Code
Clear Satin (3028)	29156/2
White (3037)	29156/W
Terra (3038)	29156/T
Graphite (3039)	29156/G
Clear Matt (3058)	29156
Acacia (3061)	29156/A
Natural (3068)	29156/N

## Fiddes Hardwax Oil 2.5L


- Quick drying and water repellent with a treadfast finish.
- Drying Time: 4-6hours.
- 1Ltr covers approx. Up to 24m<sup>2</sup> (1 coat).
- Finish: Clear, Satin.



Product Code
29250

## Osmo Polyx-Oil - Tints

- Accentuates the natural colour and grain of wood with a permanent wet look.
- Interior use - flooring, furniture and joinery.
- Water-repellent, dirt-resistant and durable.
- Drying Time: Tints 24hours/Raw 8-10hours.
- 1Ltr covers approx. 30m<sup>2</sup> (1 coat)



Finish	0.75L	2.5L
White (3040)	29150/W	29151/W
Raw (3044)	29150/RAW	29151/RAW
Honey (3071)	29150/LO	29151/LO
Amber (3072)	29150/MO	29151/MO
Terracotta (3073)	29150/DO	29151/DO
Graphite (3074)	29150/G	29151/G
Anti-Slip (3089)	-----	29276

## Osmo Door Oil 1L

- Micro-porous oil that does not crack, peel, flake or blister.
- Ideal for protecting interior doors made of solid wood.
- Suitable for veneered doors and furniture.
- Drying Time: 8-10hours
- 1Ltr covers approx. 24m<sup>2</sup> (1 coats).



Finish	Product Code
RAW (3033)	29156/R
Clear Satin (3060)	29156/1

## Osmo Wood Wax Extra Thin (1101) Clear Transparent


- Suitable for protecting interior wood, wall and ceiling panelling, wooden flooring, furniture and toys.
- Due to its water repelling qualities, this is well suited to use in wet rooms.
- Particularly suited for coating woods such as teak, cedar, iroko etc.
- Penetrates deeply to protect against wear, dirt and moisture.
- Drying Time: 12hours.
- 1Ltr covers approx. 20m<sup>2</sup> (1 coat).



Sizes	Product Code
0.75L	29154
2.5L	29155

## Osmo UV - Protection Oil


- Natural oil-based with micro-porous finish which does not crack, flake, peel or blister.
- Water and dirt resistant, moisture regulating and reduces wood swelling and shrinkage.
- Protection Oil (420) contains biocides to protect against algae, mildew and fungal attack.
- Drying Time: 12hours 1Ltr covers approx. 18m<sup>2</sup> (1 coat).
- Finish: Clear, Satin - matt.



Finish	0.75L	2.5L	3L
Protection Oil (410)	29186	29187	-----
Protection Oil Extra (420)	29218	29219	29202

## Osmo Decking Oil 2.5L


- Clear - suitable for all exterior wooden decking and stairs particularly smoother surfaces.
- Provides a slip resistant surface.
- Recommended as a top coat for Osmo decking oils.
- UV resistant.
- Drying Time: 12hours 019 & 006/8-10hours 430.
- 1Ltr covers approx. 24m<sup>2</sup> (1 coats).



Finish	Product Code
Bangkirai (006)	29174/B
Larch (009)	29273
Garapa (013)	29272
Grey (019)	29174/G
Black (020)	29327
Bog Oak (021)	29271
Clear (Anti-Slip) (430)	29174
Clear (Anti-Slip) (430) - 0.75L	29174/1

## Osmo Decking Oil (007) Teak Clear

- Designed and produced to meet the individual demands of exotic wood species.
- Osmo Teak Oil does not offer UV protection.
- Drying Time: 12hours.
- 1Ltr covers approx. 24m<sup>2</sup> (1 coats).
- Finish: Transparent, Satin-Matt (007).



Size	Product Code
0.75L	29173
2.5L	29173/1

## Osmo UV - Protection Oil Tints

- Contains biocides to protect against algae, mildew and fungal attack.
- Slightly pigmented to provide higher UV-resistance.
- Osmo Natural 429 has the strongest UV-resistance.
- Drying Time: 12hours.
- 1Ltr covers approx. 18m<sup>2</sup> (1 coat).



Finish	0.75L	2.5L	3L
Oak (425)	29192	29192/1	29127
Larch (426)	-----	29274	-----
Red Cedar (428)	29182	29182/1	29126
Natural (429)	29184	29185	-----
Light Red Cedar (431)	-----	29325	29125
Light Oak (432)	-----	29326	-----

## Osmo - One Coat Only

- Semi-transparent, satin exterior and interior use finish with minimum solvent content.
- The finish enhances the natural wood grain texture and is micro-porous which leaves a breathable surface.
- Drying Time: 12hours.
- 1Ltr covers approx. 26m<sup>2</sup> (1 coat)
- Finish: Transparent/satin-matt.



Finish	0.75L	2.5L
White Spruce (9211)	29157	29157/1
Silver Poplar (9212)	29158	29171
Pine (9221)	29159	29159/1
Mahogany (9232)	29161	29176
Scandinavian Red (9234)	29162	29162/1
Red Cedar (9235)	29163	29203
Larch (9236)	29179	29204
Oak (9241)	29164	29172
Fir Green (9242)	29165	29165/1
Walnut (9261)	29167	29177
Teak (9262)	29168	29178
Rosewood (9264)	29169	29175
Ebony (9271)	29170	29170/L



## Osmo Natural Oil Woodstain

- Fast drying, base coat and top coat in one.
- Natural wood grain remains visible.
- Extremely weather and UV resistant.
- Contains active ingredients which protect from mould, algae and fungal attack.
- Ideal for many exterior functions.
- Drying Time: 4-6hours.
- 1Ltr covers approx. 26m<sup>2</sup> (with 1 coat)
- Finish: Transparent, Satin-matt



700	701	702
703	706	707
708	710	712
727	728	729
732	900	903
905	906	1143

Finish	0.75L	2.5L
Pine (700)	29220	29221
Matt-Clear (701)	29257	29258
Larch (702)	29222	29223
Mahogany (703)	29224	29225
Oak (706)	29226	29227
Walnut (707)	29228	29229
Teak (708)	29230	29231
Stone Pine (710)	29247	29248
Ebony (712)	29232	29233
Rosewood (727)	29234	29235
Red Cedar (728)	29236	29238
Fir Green (729)	29239	29240
Light Oak (732)	29253	29253/1
White (900)	29241	29242
Basalt Grey (903)	29243	29244
Patina (905)	29249	29249/1
Pearl Grey (906)	-----	29275
Onyx-Silver (1143)	29237	29237/1

## Osmo WR Base Coat (4001) Clear

- Protects any exterior wooden surfaces which are not under static load and not in constant contact with the ground.
- Extremely water repellent with a very low odour.
- A finishing product from the Osmo range is required within three months.
- Drying Time: 12hours.
- Apply up to 160 - 200ml per sqm.



Sizes	Product Code
0.75L	29181
2.5L	29180

## Osmo Country Colour

- A highly durable, opaque, satin wood finish for exterior use.
- It will not crack, flake, peel or blister.
- Highly resistant to dirt and moisture.
- Drying Time: 8-10hours.
- 1Ltr covers approx. 26m<sup>2</sup> (1 coats).
- Finish: Satin Matt.



2101	2203	2204
2308	2310	2311
2404	2501	2506
2507	2607	2703
2704	2708	2716
2735	2742	Agate Grey

Finish	0.75L	2.5L
White (2101)	29208/1	29208/2
Light Ochre (2203)	29208/21	29208/20
Ivory (2204)	29208/8	29208/4
Nordic Red (2308)	29208/19	29208/14
Cedar Redwood (2310)	29208/31	-----
Signal Red (2311)	29208/29	29208/30
Fir Green (2404)	29208/5	29208/7
Labrador Blue (2501)	29208/13	29208/12
Royal Blue (2506)	29208/22	29208/15
Dove Blue (2507)	29208/10	29208/18
Dark Brown (2607)	-----	29208/35
Charcoal (2703)	29208/24	29208/23
Dusk Grey (2704)	29208/9	29208/17
Pebble Grey (2708)	29208/11	29208/16
Anthracite Grey (2716)	29208/32	29208/33
Light Grey (2735)	29208/25	29208/26
Traffic Grey (2742)	29208/27	29208/28
Agate Grey (RAL 7038)	-----	29208/34

## Osmo Wood Protector (4006) Clear

- Preservative wood primer developed for moisture prone wood.
- Can be used on interior and exterior woods.
- Drying Time: 24 hrs.
- Approx Cov. 8m<sup>2</sup> (1 coat).



Sizes	Product Code
0.75L	29183
2.5L	29183/1

### Osmo Wash & Care Floor Cleaner 1L (8016)

- Multi-purpose.
- A cleaning and maintaining concentrate for wooden floors.
- Drying Time: Mop to dry
- Dosage: Approx 1 capful per 1L of water.



#### Product Code

29152

### Osmo Wood Reviver (6609)

- Gel cleaner for refreshing greyed wood.
- Easy to apply with a brush.
- Recommended for wooden decking, timber cladding, garden furniture etc.
- Odourless and biodegradable.
- Approx. Coverage : 10m<sup>2</sup>/L.



#### Sizes

500ml

2.5L + Brush

#### Product Code

29214

29214/1

### Osmo Opti Set With Mop

- For cleaning and maintaining various floor types e.g. wooden, vinyl, tiled, and natural stone flooring.



#### Product Code

29255

### Osmo Liquid Wax Cleaner (3029)

- Ideal for removing tough stains, grease, shoe polish, and refreshing all surfaces treated with Osmo Polyx Oil.
- Drying time: 30-40 minutes
- 1Ltr covers approx. 80-100m<sup>2</sup>



#### Sizes

400ml

1L

#### Product Code

29200

29153

### Osmo Paint Stripper 1L (6000)

- Low odour.
- Approx. Coverage : 2-4m<sup>2</sup>/L.



#### Product Code

29277

### Osmo Telescopic Handle for Cleaning Kit

- Handle length: 110-220 cm.
- Connection: Quick-connect technology.
- The Telescopic Handle can, for example, be connected with Osmo Floor Brush, Pad Holder or even with Osmo Cleaning Mop Kit for Floors.



#### Product Code

29256

### Osmo Cleaner Spray 0.5L (8026)

- Ideal for use with interior oiled and waxed wooden surfaces.



#### Product Code

29322

### Osmo Easy Pads/Application Cloths 325 x 340mm

- Ideal for applying oils and wax to smaller areas.
- Can also be used for cleaning.



#### Product Code

29269 (x10)

### Osmo Brush Cleaner And Thinner 1L (8000)

- Benzene-free.
- Ideal for cleaning tools after applying finishes (oil and artificial resin-based), can be used for thinning solvent based finishes.



#### Product Code

29206

### Osmo Anti-bac Wood Cleaner 500ml (8036)

- Ideal for maintaining wood surfaces treated with hardwax.
- Apply thinly to avoid damage and wearing of treatment.



#### Product Code

29328

### Osmo Quality Brushes

- Made from natural products.
- Suitable for all Osmo oil based products.
- Stiff, flat bristles for high coverage.



#### Sizes

1" (25mm)

2" (50mm)

2.5" (60mm)

4" (100mm)

#### Product Code

29211

29212

29215

29216

### Oxalic Acid Crystals 1kg

- Remove stains such as ink from wood and rust stains from a variety of materials such as concrete.
- Also mildly bleaches wood.



#### Product Code

32109

### Osmo Gard Clean 1L (6606)

- A highly effective cleaning concentrate developed for the easy removal of green growth and other natural pollutants.
- Self-acting - no scrubbing necessary.
- Prevents new growth.
- Approx. Coverage : 30-100m<sup>2</sup>/L



#### Product Code

29213

### Osmo Quality Floor Brush 220mm

- 100% natural hair bristles and high quality beech head.
- Suitable for all Polyx Oils, wood wax finishes and decking oils.
- Just add a handle e.g. 29256.



#### Product Code

29217

### Hafele Partner

Did you know we are a partner of Hafele and can supply their product range next day.

Please contact us with your enquiry and we will be happy to assist you.

# HÄFELE

## Liberon Liquid Beeswax & Pure Turpentine Clear

- Traditional wax that nourishes wood and protects against dryness.
- Suitable for both hard and soft woods.
- EN71 Part 3 Approved – Safe for toys.
- Use internally.
- Drying Time: Minimum 1 Hour
- 1L covers approx. 10-12m<sup>2</sup>



Sizes	Product Code
500ml	32179
5L	32178

## Liberon Bison Paste Wax 500ml

- Enhances faded wood.
- Drying Time: 20minutes.
- 500ml covers approx. 5-6m<sup>2</sup>



Colour	Product Code
Clear	32251
Neutral (1L)	32375
Antique Pine	32251/1
Dark Oak	32251/2
Golden Pine	32251/4
Medium Oak	32251/5
Stripped Pine	32251/6
Tudor Oak	32251/7
Victorian Mahogany	32251/8

## Liberon Finishing Oil

- A blend of high quality oils for use on all interior wood.
- It is suitable for use on worktops, kitchen tables and bathroom furniture and can also be applied to cork, stone and terracotta.
- Drying Time: Minimum 5hours.
- 1L covers approx. 10-12m<sup>2</sup>.



Sizes	Product Code
1L	32317
5L	32312

## Liberon Bison Liquid Wax

- Suitable for coating interior woodwork e.g. floors, doors, stairs etc.
- Nourishes and protects all types of wood.
- Drying Time: Minimum 30mins
- 1L covers approx. 10-12m<sup>2</sup>



Finish	500ml	5L
Clear	32173	32174
Medium Oak	32173/1	32174/2
Dark Oak	32173/2	-----

## Liberon Liming Wax 250ml

- Provides a high quality limed finish.
- To be used in conjunction with 32173/32174 (for best results apply these 5 minutes after liming wax).
- Drying Time: 5minutes.
- Coverage: 250ml = 3 – 4 m<sup>2</sup>.



Product Code
32255

## Liberon Superior Danish Oil

- A blend of quality oils which provides a soft satin sheen finish.
- Feeds and protects hard and soft woods.
- Suitable for interior/exterior use. (EN71 Part 3 Approved)
- Drying Time: Minimum 5hours.
- 1L covers approx. 10-12m<sup>2</sup>.



Sizes	Product Code
500ml	32369/5
1L	32369/2
2.5L	32369/1
5L	32369

## Briwax Original Clear Wax 400g

- Briwax is a fast drying blend of natural waxes suitable for use on most wooden surfaces.
- This product is not recommended for use in areas where it will come into contact with water.



Product Code
32249

## Liberon Beeswax Paste & Pure Turpentine 500ml

- Traditional wax that nourishes wood protects against dryness.
- Drying Time: Minimum 1 Hour
- 1L covers approx. 10-12m<sup>2</sup>.



Colour	Product Code
Clear	32176
Antique Pine	32176/1
Dark	32176/2

## Liberon Boiled Linseed Oil 1L

- Improved drying times over raw linseed oil.
- Can be used to seal terracotta tiles and porous surfaces prior to waxing.
- Drying Time: Minimum 4 days.
- 1L covers approx. 8-10m<sup>2</sup>.



Product Code
32367

## Fiddes Supreme Wax Polish 400ml

- Nourishes, protects and provides a lasting enhancement to all woods.
- Made from high quality natural waxes.
- Drying Time: 10minutes.
- 1ltr covers approx 10m<sup>2</sup>.



Finish	Product Code
Light	29260
Stripped Pine	29261
Antique Brown	29262
Forest Brown	29263
Rugger Brown	29264
Cherry Brown	29265

## Liberon Pure Tung Oil

- Natural oil for wood care.
- Ideal for use on food contact surfaces.
- Water, heat and alcohol resistant. EN71 Approved.
- Suitable for interior/exterior use.
- Drying Time: 4 days final
- 1L covers approx. 10-12m<sup>2</sup>.



Sizes	Product Code
250ml	32184
500ml	32185
1L	32186

## Liberon Teak Oil

- A blend of high quality oils producing a hard wearing matt/satin finish.
- Suitable for both indoor and outdoor furniture, excluding oak.
- Drying Time: Minimum 24hours.
- 1L covers approx. 10-12m<sup>2</sup>.



Sizes	Product Code
500ml	32190
1L	32191
5L	32192



### Liberon Wax Filler Sticks

- Liberon wax filler sticks repair cracks, splits and small to medium size holes without sanding or having to strip the finish.
- Finish: Satin Matt/Various Colours.



Finish	Product Code
Ivory	32253/1
Light Oak	32253/2
Mahogany	32253/5
Dark Mahogany	32253/7
Medium Oak	32253/8
Dark Oak	32253/10
Ebony	32253/12
Light Pine	32253/15
Pine	32253/16
Dark Yew	32253/19
Light Walnut	32253/21
Medium Walnut	32253/3
Dark Walnut	32253/9
Magnolia	32253/25
White	32253
Rosewood	32253/23
Teak	32253/6

### Liberon Ring Remover 125ml

- Removes most white water and heat marks.
- Suitable for use on varnishes, lacquers and French polishes.



Product Code
32309

### Liberon Button Polish

- Suitable for antique finishes.
- An excellent all-round polish especially suited for restoration work as it does not strip antique finishes.



Size	Product Code
250ml	32215
1L	32216

### Liberon Lubricating Wax 500ml

- Helps increase the efficiency and life of woodworking tools and machinery.
- A thin coat on machine tables will aid the movement of materials.
- Suitable for lubricating saw blades, cutters, drills and hand tools.
- Drying Time: Minimum 10minutes.
- 1Ltr covers approx. 10-12m<sup>2</sup>.



Product Code
32362

### Nitromors Paint & Varnish Remover

- Water washable.
- Quickly and easily removes various paints and varnishes.



Sizes	Product Code
375ml	32106/2
750ml	32106

### Liberon Wood Bleacher

- Ideal for removing dark stains (rust, alcohol, damp, ink, ring marks).
- Lightens naturally dark wood or wood which has darkened through alkali stripping, staining or weathering.
- Pre-made and ready to use.
- Can be neutralized with water.
- Drying Time: 10 - 30minutes.
- 1L covers approx. 2-12m<sup>2</sup>.



Size	Product Code
125ml	32107/2
500ml	32107

### Liberon Wax & Polish Remover 500ml

- Removes old wax and grime from interior wood.
- Drying Time: 6hours.
- 1L covers approx. 8-10m<sup>2</sup>.



Product Code
32101

### Liberon Sanding Sealer 500ml

- Spirit based sealer for all types of new or stripped wood.
- Designed for use on decorative items only, which are then to be wax finished.
- Prevents ingress of dirt and grease into timber.
- Can be applied with a spray gun.
- Drying Time: 10-30minutes.
- 1L covers approx. 6-10m<sup>2</sup>.



Product Code
32115

### Liberon Knotting Pale 125ml

- Ideal for preventing seepage from knots in resinous woods prior to painting or varnishing and minimizing the discolouration of paint finishes.
- Suitable for clear finishes/light coloured woods, such as pine.
- Not required on oiled/waxed surfaces.
- Drying Time: Minimum 2hours.
- 125ml covers approx. 1-2m<sup>2</sup>.



Product Code
32313

### Rustins Patent Knotting 300ml

- Seals knots in untreated wood prior to painting.
- Prevents sap bleeding through paint.
- For use with all paint types.



Product Code
29092

### Metolux Wet Rot Wood Hardener 250ml

- A highly penetrative formula which soaks deep into the fibres of decaying wood to leave the wood hard and resistant to moisture penetration.



Product Code
29087

## Liberon Palette Wood Dyes 500ml

- An acrylic, water based dye for colouring bare wood.
- The acrylic element minimises grain raising allowing an even spread of colour on the softest of woods.
- 500ml covers approx. 4-6m<sup>2</sup>.



Finish	Product Code
Antique Pine	32139
Dark Oak	32139/1
Light Oak	32139/3
Medium Oak	32139/4

## Liberon Floor Varnish Natural Finish

- A long-lasting, hard-wearing finish for domestic wood or cork floors.
- Non-yellowing, provides a slip-resistant, durable and hard wearing clear finish.
- 1L covers approx. 10-12m<sup>2</sup>.
- Finish: Clear gloss/Clear satin.



Size	Product Code
1L	32372
2.5L	32373

## Liberon Stone Floor Cleaner 1L

- Water based heavy duty cleaner.
- Removes old wax, grease and grime on porous stone surfaces, subject to confirmation.
- Use to clean prior to sealing and refinishing.
- Drying Time: Minimum 1 hour.
- 1L covers approx. 15-20m<sup>2</sup>.



Product Code
32329

## Liberon Stone Floor Sealer

- Used to seal and protect interior stones and other types of porous stone flooring.
- Helps reduce dusting and resist marking from water, drink and food spillages.
- Use prior to Stone Floor Shine.
- Drying Time: 1h to touch - 24h final.
- 1L covers approx. 10-12m<sup>2</sup>.



Size	Product Code
1L	32330
5L	32332

## Liberon Stone Floor Shine 1L

- Water based formulation creating a protective, lasting shine for porous and sealed terracotta and stone flooring.
- Surfaces should be sealed first with Liberon stone floor sealer.
- Drying Time: 30 - 60minutes.
- 1L covers approx. 15-20m<sup>2</sup>.



Product Code
32331

## Harris Extra Edge Brush

- Suitable for use with all types of paints, stains and varnishes.



Size	Product Code
12mm	T0041
25mm	T0042
37mm	T0051
50mm	T0049
62mm	T0065
75mm	T0060
100mm	T0063

## Harris Essentials Brush

- Synthetic filaments provide a superior finish with all paint types.



Size	Product Code
12mm	T0012
25mm	T0013
37mm	T0014
50mm	T0015
75mm	T0016
100mm	T0017

## Harris Essentials Brush Set

- T0018 - 1 x 25, 37, 50mm.
- T0044 - 1 x 12, 25, 37mm, 2 x 50mm.
- T0070 - 1 x 25, 37, 50mm.



Size	Product Code
3 Brush Set	T0018
5 Brush Set	T0044
3 Gloss Brush Set	T0070

## Stanley Brush Set of 10

- Suitable for use with all types of paints, stains and varnishes.
- Pure black bristles and a rust resistant ferrule.
- Contains:
  - 2 x 12mm (1/2in) Brushes
  - 2 x 25mm (1in) Brushes
  - 3 x 38mm (1.1/2in) Brushes
  - 2 x 50mm (2in) Brushes
  - 1 x 75mm (3in) Brush



Product Code
T0054

## Shed and Fence Brush 100mm

- Wood care paint brush with a long length synthetic and natural bristle mix that is hardwearing and suitable for use with all modern wood care finish products.



Product Code
T0019

## 100mm Mini Roller Frame, Tray & 2 Refills

- 1 x Roller tray
- 1 x Frame
- 2 x 100mm (4in) roller refills: foam and medium pile.
- Suitable for use with gloss or emulsion paints and ideal for painting in awkward or restricted areas.



Product Code
T0025

## Mini Rollers

- These high quality mini roller sleeves are ideal for smaller scale jobs.



Size	Product Code
Emulsion x 2	T0027
Gloss x 2	T0026
Emulsion x 10	T0048
Gloss x 10	T0066