

Standard Wood Screws - Passivated

- Especially suited to man-made board and most hardwoods.

CORROSION RATING



Clean, dry & low humidity environments



SOFTWOOD



CHIPBOARD




Size	Bit Size	Box Quantity	Product Code
2.5 x 16mm	PZ1	1000	10299
3 x 12mm	PZ1	200	10300
3 x 16mm	PZ1	200	10302
3 x 17mm	PZ1	200	10303
3 x 20mm	PZ1	200	10304
3 x 25mm	PZ1	200	10305
3 x 30mm	PZ1	200	10307
3.5 x 12mm	PZ2	200	10309
3.5 x 15mm	PZ2	200	10310
3.5 x 16mm	PZ2	200	10308
3.5 x 17mm	PZ2	200	10311
3.5 x 20mm	PZ2	200	10312
3.5 x 25mm	PZ2	200	10313
3.5 x 30mm	PZ2	200	10314
3.5 x 35mm	PZ2	200	10315
3.5 x 40mm	PZ2	200	10316
3.5 x 50mm	PZ2	200	10318
4 x 17mm	PZ2	200	10320
4 x 20mm	PZ2	200	10321
4 x 25mm	PZ2	200	10322
4 x 30mm	PZ2	200	10323
4 x 35mm	PZ2	200	10324
4 x 40mm	PZ2	200	10325
4 x 45mm	PZ2	200	10326
4 x 50mm	PZ2	200	10327
4 x 60mm	PZ2	200	10329
4 x 70mm	PZ2	200	10330
4 x 80mm	PZ2	200	10346
4.5 x 22mm	PZ2	200	10331
4.5 x 25mm	PZ2	200	10377
4.5 x 30mm	PZ2	200	10333
4.5 x 35mm	PZ2	200	10332
4.5 x 40mm	PZ2	200	10334
4.5 x 50mm	PZ2	200	10336
4.5 x 60mm	PZ2	200	10337
4.5 x 70mm	PZ2	200	10338
4.5 x 80mm	PZ2	200	10347
5 x 25mm	PZ2	200	10339
5 x 30mm	PZ2	200	10340
5 x 35mm	PZ2	200	10345
5 x 40mm	PZ2	200	10341
5 x 45mm	PZ2	200	10342
5 x 50mm	PZ2	200	10343
5 x 55mm	PZ2	200	10344
5 x 60mm	PZ2	200	10358
5 x 70mm	PZ2	200	10359
5 x 80mm	PZ2	200	10360
5 x 90mm	PZ2	100	10361
5 x 100mm	PZ2	100	10362
5 x 120mm	PZ2	100	10374
6 x 40mm	PZ3	200	10363
6 x 50mm	PZ3	100	10364
6 x 60mm	PZ3	100	10365
6 x 70mm	PZ3	100	10367
6 x 80mm	PZ3	100	10366
6 x 90mm	PZ3	100	10371
6 x 100mm	PZ3	100	10368
6 x 120mm	PZ3	100	10369
6 x 130mm	PZ3	100	10373
6 x 150mm	PZ3	100	10371/1
6 x 180mm	PZ3	50	10371/2
6 x 200mm	PZ3	100	10375

Velocity Premium Multi-Use Screws

- Velocity provide an exceptional hold for many materials whilst also affording quick and easy installation.



Occasionally damp/wet, rural and sheltered areas



HARD & SOFT WOODS



MAN MADE BOARDS



THIN METAL



PLASTIC



Size	Bit Size	Box Quantity	Product Code
3 x 16	PZ1	200	10700
3 x 20	PZ1	200	10701
3 x 30	PZ1	200	10702
3 x 40	PZ1	200	10703
3.5 x 12	PZ2	200	10704
3.5 x 16	PZ2	200	10705
3.5 x 20	PZ2	200	10706
3.5 x 25	PZ2	200	10707
3.5 x 30	PZ2	200	10708
3.5 x 40	PZ2	200	10709
3.5 x 45	PZ2	200	10710
3.5 x 50	PZ2	200	10711
4 x 16	PZ2	200	10712
4 x 20	PZ2	200	10713
4 x 25	PZ2	200	10714
4 x 30	PZ2	200	10715
4 x 35	PZ2	200	10716
4 x 40	PZ2	200	10717
4 x 45	PZ2	200	10718
4 x 50	PZ2	200	10719
4 x 60	PZ2	200	10720
4 x 70	PZ2	200	10721
4 x 80	PZ2	200	10722
4.5 x 30	PZ2	200	10723
4.5 x 40	PZ2	200	10724
4.5 x 50	PZ2	200	10725
4.5 x 60	PZ2	200	10726
4.5 x 70	PZ2	200	10727
4.5 x 80	PZ2	200	10728
5 x 30	PZ2	200	10729
5 x 40	PZ2	200	10730
5 x 45	PZ2	200	10731
5 x 50	PZ2	200	10732
5 x 60	PZ2	200	10733
5 x 70	PZ2	200	10734
5 x 75	PZ2	200	10735
5 x 80	PZ2	200	10736
5 x 90	PZ2	100	10737
5 x 100	PZ2	100	10738
6 x 40	PZ3	200	10739
6 x 45	PZ3	200	10740
6 x 50	PZ3	200	10741
6 x 60	PZ3	200	10742
6 x 70	PZ3	200	10743
6 x 80	PZ3	200	10744
6 x 90	PZ3	100	10745
6 x 100	PZ3	100	10746
6 x 120	PZ3	100	10747
6 x 130	PZ3	100	10748
6 x 150	PZ3	100	10749
6 x 180	PZ3	100	10750
6 x 200	PZ3	100	10751

MULTI-PURPOSE SCREWS

Countersunk Screws - A2 SS

- A general purpose pozi double countersunk head wood screw.



Size	Quantity	Product Code
3 x 20mm	500	24080
3.5 x 16mm	500	24161
3.5 x 20mm	500	24081
3.5 x 25mm	500	24082
3.5 x 30mm	500	24083
3.5 x 40mm	200	24083/1
4 x 20mm	500	24083/2
4 x 25mm	500	24084
4 x 30mm	500	24085
4 x 35mm	500	24086
4 x 40mm	200	24087
4 x 45mm	200	24087/1
4 x 50mm	200	24089
4 x 60mm	200	24090
4 x 70mm	200	24091
5 x 20mm	500	24091/1
5 x 25mm	500	24092/1
5 x 30mm	500	24097
5 x 35mm	500	24092
5 x 40mm	200	24098
5 x 50mm	200	24093
5 x 60mm	100	24094
5 x 70mm	100	24095
5 x 80mm	100	24099/1
5 x 90mm	100	24099/2
5 x 100mm	100	24096
6 x 30mm	100	27129
6 x 40mm	100	27130
6 x 50mm	100	27093/1
6 x 80mm	100	27131
6 x 100mm	100	27132
6 x 150mm	100	27133

Countersunk Screws - Black

- A general purpose pozi wood screw.



Size	Quantity	Product Code
7 x 1"	200	24099
8 x 3/4"	200	24100
8 x 1"	200	24101
8 x 1 1/4"	200	24102
8 x 1 1/2"	200	24103
8 x 2"	200	24104
10 x 3/4"	200	24105
10 x 1"	200	24106
10 x 1 1/4"	200	24107
10 x 1 1/2"	200	24108
12 x 1 1/2"	200	24110
12 x 2"	200	24111

Countersunk Screws - Bronze

- Bronzed steel pozi hospa screw.



Size	Qty	Product Code
3 x 17mm	100	17319
3 x 17mm	1000	24044/S
3.5 x 17mm	1000	24044/W
4 x 17mm	1000	24044/X
4 x 20mm	1000	24044/Z

Countersunk Screws - A2 SS

- A general purpose torx double countersunk head wood screw.
- *Partial thread.



Size	Quantity	Product Code
3.5 x 25mm	500	24149
3.5 x 30mm	500	24150
4 x 20mm	500	24152
4 x 25mm	500	24140
4 x 30mm	500	24141
4 x 40mm	200	24142
4 x 50mm	200	24143
4 x 60mm	200	24153
5 x 30mm	500	24151
5 x 40mm	500	24154
5 x 50mm	200	24144
5 x 60mm	100	24145
5 x 70mm*	100	24146
5 x 80mm*	100	24147
5 x 100mm*	100	24148

Countersunk Screws - Brass

- Full diameter shank.
- Slotted brass screws.



Size	Quantity	Product Code
2 x 3/8"	200	24001
2 x 1/2"	200	24002
3 x 3/8"	200	24003
3 x 1/2"	200	24004
4 x 3/8"	200	24006
4 x 1/2"	200	24007
4 x 5/8"	200	24008
4 x 3/4"	200	24009
4 x 1"	200	24010
5 x 5/8"	200	24012
5 x 3/4"	200	24013
6 x 1/2"	200	24014
6 x 5/8"	200	24015
6 x 3/4"	200	24016
6 x 1"	200	24017
6 x 1 1/4"	200	24018
7 x 3/4"	200	24021
7 x 1"	200	24022
7 x 1 1/4"	200	24023
8 x 1/2"	200	24024
8 x 3/4"	200	24026
8 x 1"	200	24027
8 x 1 1/4"	200	24028
8 x 2 1/2"	200	24032
10 x 1"	200	24033
10 x 1 1/4"	200	24034
10 x 1 1/2"	200	24035
10 x 1 3/4"	200	24036
10 x 2"	100	24037

Countersunk Screws - Black

- Full diameter shank.
- Slotted black jappanned screws.



Size	Quantity	Product Code
6 x 3/4"	100	10416
8 x 3/4"	100	10417
8 x 1"	100	10418
8 x 1 1/4"	100	10419

Countersunk Screws - Zinc (200)

- Slotted zinc plated screws.



Size	Product Code
8 x 3/4"	10432
8 x 2"	10437

Round Head Screws - Black Jappanned

- Traditional slotted wood screw with a single thread.
- Ideally suited for wrought iron ironmongery.



Size	Quantity	Product Code
6 x 3/4"	200	10401
6 x 1"	200	10402
8 x 3/4"	200	10403
8 x 1"	200	10404
8 x 1 1/4"	200	10405
8 x 1 1/2"	200	10406
8 x 2"	200	10408
10 x 3/4"	200	10409
10 x 1"	200	10410
10 x 1 1/4"	200	10411
10 x 1 1/2"	200	10412
10 x 2"	200	10414

Dry Wall Screws

- Hardened bugle head with a coarse thread and a black phosphate finish.



Size	Quantity	Product Code
3.5 x 25mm	1000	28316
3.5 x 38mm	1000	28317
3.5 x 42mm	1000	28318
3.5 x 50mm	1000	28319
4.8 x 100mm	200	28322

Friction Hinge Screws - A2 SS

- Window fab screws for friction hinges.
- Shallow pan countersunk, single thread with gimlet tip.
- PH2 bit required.
- Grade 304 SS.



Size	Quantity	Product Code
4.3 x 20mm	1000	24088/1
4.3 x 25mm	1000	24088

Self-Tapping Wafer Head Screws - Zinc

- Also known as Baypole Screws.
- Size: 4.8mm.



Length	Quantity	Product Code
40mm	200	W4123
50mm	200	W4124
60mm	200	W4125
70mm	200	W4126
80mm	200	W4127
90mm	200	W4128

Screw Cups (100)


- Used to stop CSK screws pulling into timber.
- Should be used with removable panels and beads.
- Sold in 100's unless stated.



Size	Brass	Nickel Plated
5-6	30071	30071/N
7-8	30072	30072/N (55)
9-10	30073	30073/N

Plastic Screw Caps - Various

- Size: 6-8g (3.5-4.0mm) screws.
- Sold in 100's unless stated.



Colour	Quantity	Product Code
White	200	30063
Dark Brown	100	30064
Black	200	30066
Light Brown	100	30067
Chrome	100	30068

Large Plastic Screw Caps - Various (100)

- Provides decorative finish to surface screws.
- Size: 10-12g (5.0-6.0mm) screws.



Colour	Product Code
White	30065
Dark Brown	30065/1
Black	30065/2

Mirror Screws - Polished Chrome

- Decorative head hides screw.
- Sold in quantities of 8.
- Size: 8 x 1 1/2"



Product Code
30084

M5 Machine Screws CSK

- Spare screw for window espagnolette handles.



Length	Colour	Product Code
40mm	Silver	26345
50mm	Black	26347

Raised Head Espag Bolts 5 x 40mm


- Slotted countersunk screws ideal for espagnolette hardware.
- A2 grade Stainless Steel.
- Sold as singles.



Finish	Product Code
SS	26396
Black	29639B

Timber Screw - Hex Head - Green

- Size: 6.7
- Ideal for external applications.
- Corrosion rating: 3/5.



Length	Quantity	Product Code
60mm	50	26349
75mm	50	26350
87mm	50	26351
100mm	50	26344
125mm	50	26353
150mm	30	26344/1
175mm	50	26357
200mm	20	26344/2
225mm	50	26358
250mm	50	26344/3

Timber Screw - Hex Head - SS

- Size: 6.7
- Ideal for external applications.
- Corrosion rating: 5/5



Length	Quantity	Product Code
50mm	25	26360
75mm	25	26361
100mm	25	26362
125mm	25	26363
150mm	25	26364
200mm	25	26365
250mm	25	26366
300mm	25	26367

8mm/5/16" Socket Driver Bit (65mm Long)

- Socket driver bit to suit the above hex head timber screws.



Product Code
TB0382

Timber Screw - Wafer Head - Green


- Torx drive.
- Driver bit included.
- Corrosion rating: 3/5



Size	Quantity	Product Code
6.7 x 60mm	50	26368
6.7 x 75mm	50	26369
6.7 x 95mm	50	26370
6.7 x 125mm	50	26371
6.7 x 150mm	50	26372
6.7 x 175mm	50	26373
6.7 x 200mm	50	26374
6.7 x 225mm	50	26375
6.7 x 250mm	50	26376
6.7 x 275mm	25	26377
6.7 x 300mm	25	26378
6.7 x 350mm	25	26379
6.7 x 400mm	25	26380

Timber Screw - Wafer Head - SS


- Torx drive.
- Alternative to the traditional coach screw.
- Driver bit included.
- Corrosion rating: 4/5.



Size	Quantity	Product Code
8.0 x 80	20	26384
8.0 x 100	20	26385
8.0 x 125	20	26386
8.0 x 150	20	26387

C2 Tongue-Fix 3.5 x 45mm (350)

- Specially designed for attaching tongue and groove floorboards and panelling.
- TX10 drill bit size required.



Product Code
W6279

Decking Screws - Exterior Green

- Box of 200.
- Corrosion rating: 3/5.



Size	Product Code
4.5 x 50mm	10382
4.5 x 60mm	10383
4.5 x 70mm	10384

M4 Snap Off Screw Electro Brassed 45mm

- Snap the screw along its thread to suit length required up to 45mm.



Product Code

10400

M4 Snap Off Male + Female Bolt (Pair)

- For use with roses and escutcheons.
- To suit doors 35-60mm thick.
- Nickel-plated steel screw with sleeve.
- Pair (2 x male, 2 x female).



Product Code

10415

M4 Internal Threaded Sleeve

- For wood thickness - 28-36mm.
- Length - 27mm.
- Diameter - 5mm.
- Head Diameter - 9.7mm.



Product Code

10399

Wood to Metal Dowel Screw

- Wood to Metal connector.



Size	Product Code
M4 - 20mm (10/10mm)	34005
M6 - 40mm (20/20mm)	34005/1
M8 - 60mm (30/30mm)	34005/2
M10 - 80mm (40/40mm)	34005/3

Wood To Wood Threaded Screw

- Often used to connect knock down furniture legs etc.



Size	Product Code
8 x 1"	30134
10 x 2"	30135

Screw In Sleeve


- M refers to internal thread.



Size	Product Code
M4 x 10mm	24079
M6 x 15mm	24078
M8 x 20mm	24078/1
M10 x 20mm	24078/2

BZP Coach Bolt

- Zinc plated steel, Cup square head.
- Quantities shown in brackets.



Length	M6	M8	M10	M12
25	26310 (200)	-----	-----	-----
40	26311 (8)	26316 (100)	-----	-----
50	26312 (100)	26317 (100)	-----	-----
65	26313 (100)	26318 (50)	26323 (50)	-----
75	26314 (100)	26319 (4)	26324 (3)	26331 (25)
100	26315 (55)	26320 (50)	26325 (25)	-----
110	-----	-----	26326 (25)	26332 (25)
130	-----	26321 (50)	26327 (25)	26333 (10)
150	-----	26322 (25)	26328 (25)	26334 (10)
180	-----	-----	26329 (25)	-----
200	-----	-----	26330 (15)	-----

SS Coach Bolt

- A2 Stainless Steel.
- Cup square head.
- Sold in singles without nuts (unless stated).



Length	M6	M8	M10	M12
40	26311/1	-----	-----	-----
50	-----	26317/1	-----	-----
65	26313/1	26318/1	26323/1	-----
75	-----	-----	-----	26331/1
100	-----	26320/1	26325/1	-----
110	-----	-----	-----	26332/1 (25)

Hexagon Full Nuts

- Sold as singles (unless stated).



Size	SS	BZP
M6	26300/2	26300 (40)
M8	26301/2	26301 (30)
M10	26302/2	26302 (20)
M12	26303/2	26303 (10)
M14	-----	26348/2 (100)
M16	-----	26339/2 (45)

Heavy Washers

- Sold as singles (unless stated).



Size	SS	BZP
M6	26305/1	26305 (500)
M8	26306/1	26306 (100)
M10	26307/1	26307 (100)
M12	26308/1	26308 (100)
M14	-----	26348/1 (100)
M16	-----	26339/1 (100)

Hexagon Locking Nut Bright Zinc

- Zinc plated or stainless steel for increased corrosion resistance.
- Sold as singles (unless stated).



Size	Product Code
M6	26300/1 (20)
M8	26301/1 (200)
M10	26302/1
M12	26303/1

Mudguard Washer Bright Zinc

- 6mm diameter centre hole.
- Sold as singles (unless stated).



Size	Product Code
1"	26340 (100)
1.25"	26340/1
1.5"	26340/2

M6 Roofing Bolt & Nut BZP

- Connecting bolt.



Size	Quantity	Product Code
25mm	10	26455
40mm	8	26458
80mm	70	26460

Studding Bars (1m)



Size	SS	BZP
M6	26335/1	26335
M8	26336/1	26336
M10	26337/1	26337
M12	26338/1	26338
M14	-----	26348
M16	-----	26339

Metal Speed Plug Fixing 30mm

- Screws straight into plasterboard with a drill point screw which fits inside.
- 5 - 14kg rating.
- Sold in quantities of 75.



Product Code

26413

Zip-Fix Cavity Fixing (10)

- Heavy duty cavity wall anchor including 10 x 40mm & 10 x 60mm bolts.
- Covers a range of wall thicknesses up to 45mm and support up to 30kg.



Product Code

26416

Plastic Rawplugs Brown

- For 10-14 gauge screws.
- Drill Size: 7mm x 42mm.
- 18 - 50kg rating.



Quantity Product Code

15 (Inc. Screws)	26218
200	26204
1000	26202

Metal Cavity Anchor

- Anti-rotation teeth pierce the base skin to ensure firm anchorage and allows expansion of the fixing.
- Metal Cavity Anchor Gun available: 26415.
- 22-37kg rating.



Size Quantity Product Code

17mm	70	26411
26mm	60	26412

Multi-Fix Stella Fixings (25)

- Stella plasterboard fixing for attaching heavy objects to plasterboard and other cavity wall materials.
- 33 - 48kg rating.




Size Product Code

M5 x 55mm	26461
M5 x 65mm	26463
M5 x 80mm	26462
M5 x 90mm	26464

M8 Frame Fixings

- Drill straight through window or door frame, insert fixing and then tighten.
- Drill Size: 8mm.



Length Quantity Product Code

80mm	100	26213
100mm	40	26212
120mm	100	26210

Metal Cavity Anchor Gun

- Excellent product for plasterboard walls.
- All metal construction for heat resistant applications.
- Anti-rotation teeth pierce the base skin to ensure firm anchorage.



Product Code

26415

Plastic Rawplugs Red

- For 6-10 gauge screws.
- Drill Size: 5.5mm x 34mm.
- 18 - 50kg rating.



Quantity Product Code

25 (Inc. Screws)	26219
200	26203
1000	26201

M10 Frame Fixings

- Drill straight through window or door frame, insert fixing and then tighten.
- Drill Size: 10mm



Length Quantity Product Code

100mm	30	26217
135mm	50	26214
160mm	15	26215

Multi-fix Countersunk Head Screws (100)

- No plugs required.



Size Product Code

7.5 x 60mm	W4033
7.5 x 100mm	W4030
7.5 x 122mm	W4031
7.5 x 150mm	W4032

Multi-fix Pan Head Screws (100)

- No plugs required.



Size Product Code

7.5 x 100mm	W4036
7.5 x 120mm	W4037

None expansion for close to edge fixing

Serrated V-threads for optimum insertion

High-low start threads for rapid pick up

Rapid & Effective
Masonry & Concrete Screws

Ideal for fixing

- Concrete
- Brick
- Stone
- Block
- Wood

Countersunk

Install in just 2 easy steps

1 Drill
Drill the hole 90° to the substrate. Always over-drill the hole depth for dust clearance.

2 Fix
Using a power tool, tighten the fixing firmly against the attachment.

Pan Head

FirmaHold Collated Clipped Head Nails

- For use in structural applications.
- Various levels of rust protection to comply with building regulations.
- 34° collation angle.

With Fuel Cells

- 50 & 63mm length - x 3300 Nails + x 3 Fuel.
- 75 & 90mm length - x 2200 Nails + x 2 Fuel.



Size	Bright	FirmaGalv	Galv+	HDG
2.8 x 50mm (Ring)	25756	25655	25623	25760
2.8 x 63mm (Ring)	25757	25656	25625	25761
3.1 x 63mm (Ring)	-----	-----	25626	-----
3.1 x 75mm (Ring)	25758	25657	25627	25762
3.1 x 90mm (Plain)	25759	25658	25629	25763
3.1 x 90mm (P-Ring)	-----	-----	25628	-----

No Fuel Cells

- 50 & 63mm length - x 3300 Nails.
- 75 & 90mm length - x 2200 Nails.



Size	Bright	FirmaGalv	Galv+
2.8 x 50mm (Ring)	25752	25659	25663
2.8 x 63mm (Ring)	25753	25660	25664
3.1 x 63mm (Ring)	-----	-----	25665
3.1 x 75mm (Ring)	25754	25661	25666
3.1 x 90mm (Plain)	25755	25662	25667
3.1 x 90mm (P-Ring)	-----	-----	25668

FirmaHold Collated Clipped Head Nails - SS

- For use in structural applications.
- Various levels of rust protection to comply with building regulations.
- 34° collation angle.

With Fuel Cells

- All sizes - x 1100 Nails + x 1 Fuel.



Size	A2 SS
2.8 x 50mm (Ring)	25618
2.8 x 63mm (Ring)	25619
3.1 x 80mm (Ring)	25620

No Fuel Cells

- All sizes - x 1100 Nails.



Size	A2 SS
2.8 x 50mm (Ring)	25772
2.8 x 63mm (Ring)	25773
3.1 x 80mm (Ring)	25774

Framing Nailer Fuel Cell (2)

- For use with first fix brad nailers.
- Cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.
- 80ml volume.



Product Code

25631

FirmaHold Collated Brad Nails - Straight

- Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head.
- 20° collation angle.

With Fuel Cells

- Gauge 16 - x 2000 Nails + x 2 Fuel (Nails per strip - 50).



Size	Galvanised	A2 SS
16 x 19mm	25640	-----
16 x 25mm	25641	25648
16 x 32mm	25642	-----
16 x 38mm	25643	25649
16 x 45mm	25644	-----
16 x 50mm	25645	25650
16 x 64mm	25646	25651

No Fuel Cells

- Gauge 16 - x 2000 Nails (Nails per strip - 50).
- Gauge 18 - x 5000 Nails (Nails per strip - 100).



Length	Galv - 16g	Galv - 18g	A2 SS - 16g	A2 SS - 18g
16mm	-----	25699	-----	-----
19mm	25746	25700	-----	25711
25mm	25747	25701	25740	25712
32mm	25748	25702	-----	25713
38mm	25749	25704	25741	25715
45mm	25750	25709	-----	-----
50mm	25751	25705	25742	25716
64mm	25745	-----	25743	-----

FirmaHold Collated Brad Nails - Angled

- Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head.
- 20° collation angle.

With Fuel Cells


- Gauge 16 - x 2000 Nails + x 2 Fuel (Nails per strip - 50).



Size	Galvanised	A2 SS
16 x 32mm	25636	-----
16 x 38mm	25637	25652
16 x 45mm	25638	-----
16 x 50mm	25639	25653
16 x 64mm	25639/1	25654

No Fuel Cells

- Gauge 16 - x 2000 Nails (Nails per strip - 50).



Size	Galvanised	A2 SS
16 x 32mm	25669	-----
16 x 38mm	25670	25674
16 x 45mm	25671	-----
16 x 50mm	25672	25675
16 x 64mm	25673	25676

Finishing Nailer Fuel Cell (2)

- For use with second fix brad nailers.
- Cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.
- 30ml volume.



Product Code

25630

Paslode IM360Ci Nail & Fuel Packs

- The galvanised plus finish is suitable for external protected applications - Service Class 2.
- Suitable for indoor and covered outdoor applications.



Trade Pack

- 2.8 - x 3300 Nails + x 3 Fuel.
- 3.1 - x 3300 Nails + x 2 Fuel.

Size	Galv+
2.8 x 51mm (Ring)	25569
2.8 x 63mm (Ring)	25570
3.1 x 63mm (Ring)	25571
3.1 x 75mm (Ring)	25572
3.1 x 90mm (Ring)	25573
3.1 x 90mm (Plain)	25574

- The stainless steel material is suitable for external applications - Service Class 3.



Retail Pack

- All sizes - x 1100 Nails + x 1 Fuel.

Size	A2 SS
2.8 x 51mm (Ring)	25563
2.8 x 63mm (Ring)	25564
3.1 x 80mm (Ring)	25565

IM65 Straight Brad Nails & Fuels Packs

- The electro galvanised finish is suitable for indoor applications - Service Class 1.
- The A2 Stainless Steel material is suitable for external applications - Service Class 3.
- All sizes - x 2000 Nails + x 2 Fuel.



Size	Galvanised	A2 SS
16 x 16mm	25588	-----
16 x 19mm	25589	-----
16 x 25mm	25590	25580
16 x 32mm	25591	-----
16 x 38mm	25592	25581
16 x 45mm	25593	-----
16 x 50mm	25594	25582
16 x 63mm	25595	25583

IM360Ci Fuel Cell (1)

Gas fuel cell with added lubricant for Series-i cordless framing and positive placement nailers. Suitable for IM90i and IM360Ci Impulse framing nailers.



IM350+ Fuel Cell (2)

- Gas fuel cell with added lubricant for IM350+ and IM350 cordless framing nailers.
- Suitable for IM350+ and IM350 Impulse framing nailers.



IM65 Fuel Cell (2)

- Mini gas fuel cell with added lubricant for cordless finish nailers and staplers.
- Suitable for IM65/IM65A, IM50 gas finishing nailers and IM200 Stapler.



Paslode IM350+ Nail & Fuel Packs

- The galvanised plus finish is suitable for external protected applications - Service Class 2.
- Suitable for indoor and covered outdoor applications.



Trade Pack

- 2.8 - x 3300 Nails + x 3 Fuel.
- 3.1 - x 3300 Nails + x 2 Fuel.

Size	Galv+
2.8 x 51mm (Ring)	25575
2.8 x 63mm (Ring)	25576
3.1 x 63mm (Ring)	25577
3.1 x 75mm (Ring)	25578
3.1 x 90mm (Plain)	25579

- The stainless steel material is suitable for external applications - Service Class 3.



Retail Pack

- All sizes - x 1100 Nails + x 1 Fuel.

Size	A2 SS
2.8 x 51mm (Ring)	25566
2.8 x 63mm (Ring)	25567
3.1 x 80mm (Ring)	25568

IM65 Angled Brad Nails & Fuels Packs

- The electro galvanised finish is suitable for indoor applications - Service Class 1.
- The A2 Stainless Steel material is suitable for external applications - Service Class 3.
- All sizes - x 2000 Nails + x 2 Fuel.



Size	Galvanised	A2 SS
16 x 32mm	25596	25584
16 x 38mm	25597	25585
16 x 45mm	25598	-----
16 x 50mm	-----	25586
16 x 51mm	25599	-----
16 x 63mm	25600	-----
16 x 64mm	-----	25587

Product Code

25634

Product Code

25633

Product Code

25632

Heavy Duty Staples (1000)

- Galvanised finish.
- Suitable for a range of second fix applications.
- Suitable for use with Hardwood, Softwood, Chipboard, MDF, Plastic, Fabric and Membrane.



Size	Product Code
6mm	TB0257
8mm	TB0259
10mm	TB0258

Annular Nails - SS 5kg

- Annular rings provide additional holding power.



Size	Product Code
30mm	28373
40mm	28374
50mm	28375
65mm	28365
75mm	28366
100mm	28367

Rosehead Nails Black Oxide - 1kg

- (Approximate quantities are below).



Length	Approx. QTY	Product Code
25mm	475	28334
40mm	320	28337
54mm	158	28336
67mm	105	28335
75mm	84	28338

Metal Star Dowels

- For use on mortice and tenon joints.



Length	Quantity	Product Code
29mm	500	28302
33mm	500	28303
38mm	500	28304
44mm	500	28306
50mm	500	28307
60mm	500	28308

Cladding Pins (250)

- A4 Stainless steel pin used for cladding.
- Head Size: 5mm
- Length: 30mm



Product Code
W4029

Panel Pins - Zinc 500g

- Deep drive pin heads.



Size	Gauge	Product Code
15 x 1.25	18g	28100
15 x 1.0	19g	28101
20 x 1.0	19g	28103
20 x 1.4	17g	28102
25 x 1.4	17g	28104
30 x 1.4	17g	28106
40 x 1.6	16g	28108
50 x 1.6	16g	28109

Panel Pins - SS 500g

- For fixing mouldings etc.
- Gauge 16.



Size	Approx. QTY	Product Code
20 x 1.6	1445	28268
25 x 1.6	1136	28269
30 x 1.6	947	28270
40 x 1.6	751	28271

Panel Pins - Brass 500g

- For fixing mouldings etc.
- Won't react with water based stains or paints.



Size	Gauge	Product Code
20 x 1.4	17g	28260
25 x 1.6	16g	28261
30 x 1.6	16g	28262

Panel Pins - Sherardized 500g


- These pins are treated to stop timber stain and corrosion.
- Gauge: 16g



Size	Product Code
30 x 1.6	28220
40 x 1.6	28221

1/2 Wooden Pellets (100)

- These wood pellets are ideal for when you want to hide a screw hole within your doors or floors etc.
- Available in other materials.



Finish	Product Code
Beech	28298
Oak	28296

Hafele Biscuits (1000)

- For joining hard and soft woods, plywood, composition board etc.
- Compared to dowelling, biscuit jointing is faster and more precise.



Size	Product Code
0	26255
10	26259
20	26258

Trend Biscuits (100)


- Biscuit jointing has proven to be one of the strongest, fastest, safest and most accurate ways to join all kinds of wood.
- Compared to dowelling, biscuit jointing is faster and more precise.
- Swells when adhesive is applied.



Size	Product Code
0	26257
10	26259/1
20	26258/1
Mixed Bag	26256

C152 Biscuit Jointer

- D: 37.2mm.
- C: 4mm.
- B: 12.7mm.
- B2: 16mm.
- B3: 19mm.
- OL: 63.5mm.
- (For Biscuits: 0, 10 & 20).




C Trend Craft Range

Shank Diameter	Product Code
1/4"	26644

342X1/2TC - Biscuit Jointer Set

- D - 40 mm
- C - 4 mm
- B - 15 mm
- B2 - 19 mm
- B3 - 23 mm
- Shank Diameter - 1/2 inch



P Professional Range

Shank Diameter	Product Code
1/2"	26687

Plastic Packers 100 x 28mm

- Used as spacers to aide with levelling/ packing out.



Size	Product Code
1mm	W4051
2mm	W4052
3mm	W4053
4mm	W4054
5mm	W4055
6mm	W4056
Assorted (100)	W4050

Glazing Blocks (100)

- Setting blocks, location blocks and distance pieces for use in glazing.
- Available in both sloping and flat sections.



Size	Product Code
16 x 3 x 25mm	W4094
22 x 3 x 25mm	W4095

I Wedge Inflatable Air Wedge

- Hand or foot operated pump for ease of use.
- Multi use - can be used to lift, separate, protect and hold.
- Load capacity 135 kg and joint width 2mm to 50mm.



Product Code
26910

Worktop Connecting Bolt

- New style connecting bolt.



Size	Sold In	Product Code
65mm	1	30045
150mm	6	30046

Angle Bracket 19 x 19mm

- Used to re-enforce corners.
- Sold in quantities of 10.



Product Code
30094

Stretcher Plate 38 x 25mm

- Used to hold tops to frame and still allow for seasonal movements.



Quantity	Product Code
4	30095/SML
100	30095

Heavy Duty Angle Bracket 150 x 90 x 62mm

- Used to re-enforce corners.
- Pre-Galvanised.



Product Code
26208

Cam Fixing Plate

- Useful for connecting timbers.



Size	Product Code
178 x 85mm	26209
338 x 178mm	26211

HSS Drill Bit

- For use with metal, high speed steel (HSS).
- Sold in singles.



Size	Product Code
1mm	26260/1
1.5mm	26260/2
2mm	26260
2.5mm	26260/3
3mm	26261
3.5mm	26261/1
4mm	26262
4.5mm	26262/1
5mm	26263
5.5mm	26263/1
6mm	26264
6.5mm	26264/1
7mm	26265
7.5mm	26265/1
8mm	26266
8.5mm	26266/1
9mm	26267
9.5mm	26267/1
10mm	26268
10.5mm	26268/1
11.5mm	26269
12mm	26270
12.5mm	26270/1
13mm	26271

19 Piece HSS Drill Set

- For use with metal, high speed steel (HSS).
- Set consists of 1mm - 10mm bits in increments of 0.5mm.



Product Code
27100

17 Piece HSS (12) & Masonry (5) Drill Set

- HSS: 1.5mm - 6mm.
- Masonry: 5mm - 10mm.



Product Code
XMS100

15 Piece HSS Brad Point Drill Bit Set

- For use with metal, high speed steel (HSS).



Product Code
XMS098

7 Piece Flat Wood Bit Set

- Set Includes the following sizes:
- 10mm, 12mm, 16mm, 19mm 22mm, 25mm & 32mm.



Product Code
XMS099

Dewalt Tic Tac Box of PZ2 25mm Pozi Bits (25)

- Hardened core for extra strength and durability.



Product Code
DEWDT1

Steel Driver Bits

- S2 grade hardened steel for longer life



Size	PZ1	PZ2	PZ3
25mm (x10)	TB0355	TB0356	TB0357
50mm (x5)	TB0358	TB0359	TB0360