



Trimvent 90 Hi Lift

- High performance slot ventilator system.
- Designed to meet Part F building regulations for ventilation.
- Ideal for both new builds and refurbishments.
- Fitted throughout UK and Europe for over 35 years.



Trimvent 90 Hi Lift Vent

- Semi-recessed aluminium slot ventilator.
- Fits over a 16mm slot.
- T-bar deflects air up and down.
- Compression closing action.
- Projection (Open/Closed) – 17/27mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ^m ²	Brown	Black	White
300 x 22mm	262 x 16mm	2500	12633	12636	12630
425 x 22mm	387 x 16mm	4300	12623	12628	12621
529 x 22mm	487 x 16mm	5000	12648	12647	12645

HF Canopy


- Features integral screw covers.
- Projection – 36.5mm.



Size	Brown	Black	White
303 x 24mm	12634	12637	12631
441 x 24mm	12624	12629	12622
529 x 24mm	12649	12658	12646

Flat Grille



- Face fix.



Size	Brown	Black	White
288 x 20mm	12569	12568	12570
435 x 30mm	12626	12627	12625

Trimvent 4000 Hi Lift

- High performance slot ventilator system.
- Based on the successful Trimvent principle.
- Designed to meet Part F building regulations for ventilation.
- Ideal for both new builds and refurbishments.
- Fitted throughout UK and Europe for over 25 years.



Trimvent 4000 Hi Lift Vent

- Surface mounted aluminium slot ventilator.
- Fits over a 13mm slot.
- T-bar deflects air up and down.
- Compression closing action.
- Projection (Open/Closed) – 28/38mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ^m ²	Brown	Black	White
255 x 17mm	233 x 13mm	2200	12660	12661	12659
400 x 17mm	367 x 13mm	4000	12663	12664	12662

HF Canopy


- Features integral screw covers.
- Projection – 36.5mm.



Size	Brown	Black	White
303 x 24mm	12634	12637	12631
441 x 24mm	12624	12629	12622

Flat Grille


- Face fix.



Size	Brown	Black	White
288 x 20mm	12569	12568	12570
435 x 30mm	12626	12627	12625


Trimvent Select Xtra S13

- Sleek design and easy operation.
- Based on the successful Trimvent principle.
- Designed to meet Part F building regulations for ventilation.
- Ideal for both new builds and refurbishments.
- Fitted throughout UK and Europe for over 20 years.



Select XS13 Vent


- Surface mounted plastic slot ventilator.
- Fits over a 13mm slot.
- Deflects air up or down, or both.
- Can be fitted to the sash, frame or overhead section.
- Sculpted finger recess.
- Projection (Open/Closed) – 20/27mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ²	Brown	White
265 x 18.5mm	225 x 13mm	2000	12678	12677
411 x 18.5mm	367 x 13mm	4400	12666	12665

Select XC13 Canopy

- Projection – 32.5mm.



Size	Brown	White
270 x 18mm	12668	12667
411 x 18mm	12670	12669

GN16 Grille

- Push in grille for a 16mm slot.
- Sold in pairs.



Size	Brown	White
296 (148 x 2 qty) x 24mm	12643	12642

GS22 Grille

- Push in grille for a 22mm slot.
- Projection - 1.5mm.
- Sold in pairs.



Size	Brown	White
482 (241 x 2 qty) x 27mm	12672	12671

Trimvent Select Xtra R16

- Sleek design and easy operation.
- Based on the successful Trimvent principle.
- Designed to meet Part F building regulations for ventilation.
- Ideal for both new builds and refurbishments.
- Fitted throughout UK and Europe for over 20 years.



Select XR16 Vent


- Recessed plastic slot ventilator.
- Fits over a 16mm slot.
- Unique occupant controllable tilting T-bar.
- Sculpted finger recess.
- Projection (Open/Closed) – 0/18.5mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ²	Brown	Black	White
351 x 21mm	312 x 16mm	4600	12605	12656	12606

Select XC16 Canopy



- Projection – 32.5mm.



Size	Brown	Black	White
364 x 22mm	12617	12657	12618

XHD16 Grille


- Push in grille for a 16mm slot.
- Projection – 13.5mm.



Size	Brown	Black	White
358 x 26mm	12619	12673	12620

Trykvent

- Unobtrusive low profile design
- Designed for high performance timber windows
- High airtightness in closed position
- To meet Part F building regulations for ventilation
- Ideal for both new builds and refurbishments



Trykvent


- Semi-recessed plastic ventilator.
- Fits over a 16mm slot.
- Press to open and close principle.
- Unique auto drop down opening.
- Gasket seal between T-bar and channel.
- Projection (Open/Closed) – 6.2/19mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ^m ²	Brown	White
283 x 27mm	226 x 16mm	3000	12543	12544
389 x 27mm	312 x 16mm	4300	12545	12546

HF Canopy

- Features integral screw covers.
- Projection – 36.5mm.



Size	Brown	White
303 x 24mm	12634	12631
441 x 24mm	12624	12622

Due to the 2022 changes to Part F of the Building Regulations a large variety of vents, canopies and grilles have been discontinued and superseded with items that meet the new requirements.

We still have stocks of a wide variety of other vents so please see our website for our full range.

If you would like to know more about the changes to part F, please contact us and we can discuss this with you.



SF Xtra Vent

- High performance system.
- Simple construction to aid fitting.
- Designed to meet Part F building regulations for ventilation.
- Suitable for domestic and non-domestic applications.
- Ideal for retrofit.



SFX 13 Vent


- Surface mounted aluminium ventilator.
- Fits over a 13mm slot.
- High performance gasket and compression action.
- Projection (Open/Closed) – 10/24mm).
- EA value tested when vent is used with Canopy.



Size	Slot Size	EAm ^m ²	Brown	Black	White
465 x 23mm	380 x 13mm	5000	12675	12676	12674

HF Canopy


- Features integral screw covers.
- Projection – 36.5mm.



Size	Brown	Black	White
441 x 24mm	12624	12629	12622

Plastic Trickle Vent and Canopy Set

- Simple condensation control.
- Vent adjusted but fingertip.
- Quick and easy installation requiring only three hidden screws.



Size	Slot Size	EAm ^m ²	Brown	White
430 x 20mm	410 x 16mm	4000	12612	12611