

Exitex Roofing Systems

Capex 40 & 60	170-172
Capex 50 & 70	173-175
Cresfinex MK2.....	176-178
Cresfinex MK4.....	177-178
Ankorglaze	178
HGB & Polycarbonate Components.....	179



Capex 40, 60 & CFX MK2 Ridge

A. CFX cap end cap (when not fitting finials)

B. CFX/M2 radius endcap

C. Full range of finials in aluminium or uPVC

D. CFX snap cover (when not fitting crests)

E. Full range of crests in aluminium or uPVC

F. Aluminium cresfinex wall endcap

G. Capex wall flashing profile 40 or 60

H. Ankorglaze with or without condensation control

I. Capex 60 with H/V gasket

J. Extended end cap in uPVC


K. Jackcap 40 or 60

L. Capex H/V bridging 40 or 60

M. Capex 40 or 60

N. CFX/M2 ridge

O. CFX/BDG 40 or 60




Did you know?

- **Technical Support:** We can quote your roof from drawings/sketches so please email info@marchesironmongery.co.uk or call us on 01597 823822 to discuss your enquiry.
- **Large Stock Holding:** We keep a range of sizes and finishes in stock across the full Capex and Cresfinex ranges.
- **RAL Colour Options:** Available in any RAL colour as a special order.

exitex™

Capex 40 + Rafter Gasket


- Sold with gasket.
- For roof pitches of 5°+.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- 40mm is the width of aluminium and 51mm is the overall width with gaskets compressed.
- Endcaps not included.
- Exitex Reference 1.04.601.



Size	Brown	White	Mill
2.4m	38002	38001	38003
3m	38005	38004	38006
3.6m	38075	38074	38076
4.8m	38008	38007	38009
6m	38011	38010	38012

Capex 60 + Rafter Gasket


- Sold with gasket.
- For roof pitches of 5°+.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- 60mm is the width of aluminium and 71mm is the overall width with gaskets compressed.
- Endcaps not included.
- Exitex Reference 1.04.601.



Size	Brown	White	Mill
2.4m	38014	38013	38015
3m	38017	38016	38018
3.6m	38038	38037	38039
4.8m	38020	38019	38039
6m	38023	38022	38024

Capex 40 Wall Finishing Profile & Gasket


- Sold with gasket.
- Capex 40 to wall finishing or flashing profile with gasket.
- To use when butting up to existing wall.
- Endcaps not included.
- Exitex Reference 1.04.281.



Size	Brown	White	Mill
3m	38566	38567	38568
6m	38569	38570	38571

Capex 60 Wall Finishing Profile & Gasket


- Sold with gasket.
- Capex 60 to wall finishing or flashing profile with gasket.
- To use when butting up to existing wall.
- Endcaps not included.
- Exitex Reference 1.04.284.



Size	Brown	White	Mill
3m	38578	38579	38577
6m	38576	38575	38574

Capex 40 Gable End Finishing Profile & Gasket


- Sold with gasket.
- Gable end finishing profile with rafter gasket.
- Endcaps not included.
- Exitex Reference 1.04.271.



Size	Brown	White	Mill
3m	38542	38543	38544
6m	38545	38546	38547

Capex 60 Gable End Finishing Profile & Gasket


- Sold with gasket.
- Gable end finishing profile with rafter gasket.
- Endcaps not included.
- Exitex Reference 1.04.274.



Size	Brown	White	Mill
3m	38554	38555	38556
6m	39557	38558	38559

Lean to Finishing and Flashing Profile

- Unique variable gasket position to suit a variety of roof angles from 5° - 45°.
- Suitable for Exitex Capex range.
- Exitex Reference: 1.04.295.



Size	Brown	White	Mill	Grey
2.4m	38523	38525	-----	38521
3m	38530	38531	38532	38529
3.6m	38524	38526	-----	38522
6m	38533	38534	38535	38536

Capex 40 & 60 PVC Extended Endcap


- Provides a neat finish for Capex when rafter gaskets might be visible due to them extending into guttering.
- Exitex Reference: 1.04.570.00(40/60)



Colour	Cap 40	Cap 60
Brown	38092	38094
White	38093	38095

Cresfinex 40 & 60 Bridgings


- Fits into top end of Capex and tongue goes under ridge or lean to flashing.
- Exitex Reference:
- 40 - 1.05.031.
- 60 - 1.05.032.



Colour	Cap 40	Cap 60
Brown	38586	38588
White	38585	38587

Capex 40 & 60 H & V Bridgings (20 - 40°)


- Fits into end of Capex and allows rafters to connect with angled hip or valley.
- Sold in pairs.
- Exitex Reference: 1.05.551.



Colour	Cap 40	Cap 60
Brown	38103/S	38106/S
White	38102/S	38107/S

Capex 40 & 60 H & V Bridgings (40 - 75°)

- Fits into end of Capex and allows rafters to connect with angled hip or valley.
- Sold in pairs.
- Exitex Reference: 1.05.550.



Colour	Cap 40	Cap 60
Brown	38102	38106
White	38103	38107

Capex 40 & 60 Jackcap

- Ideal for the top ends of Capex on Victorian Conservatories.
- Size: 40mm.
- Exitex Reference: 1.05.570.00(40/60)



Colour	Cap 40	Cap 60
Brown	38085	38087
White	38086	38088

RAG Rafter Gasket


- Compatible with glass, polycarbonate and acrylic sheeting.
- High quality flexible EPDM with non stretch cords of a special design.
- Pin through centre channel to position.



Length	45	55
6m	-----	38436
10m	38424	38437
20m	38425	38438
30m	38426	-----
50m	38427	38439
100m	38428	38440

Hip & Valley Gasket


- Allows Capex to be fitted to 35° - 50° hips and valleys by changing the outer seal.
- Exitex Reference: 1.09.300.



Unit	Product Code
10m	38448
15m	38449
20m	38450
30m	38451

Groove Located Gasket


- Exitex Reference:
- 45: 1.09.145.
- 55: 1.09.155.



Unit	Product Code
RAG 45 10m	38430
RAG 45 30m	38432
RAG 45 100m	38434
RAG 55 100m	38446

DGBS Push Fit Gasket


- Useful for glazing beads or timber cappings.
- Size: 3mm x 15mm.
- Exitex Reference:
- Brown: 1.09.020.
- White: 1.09.021.



Colour	10m	20m	50m	150m
Black	38453	38454	38455	38457
White	-----	-----	-----	38583W

Capex 50, 70 & CFK MK4 Ridge

- | | |
|---|--|
| <p>A. Full range of finials in aluminium or uPVC</p> <p>B. Cresfinex snap cover (when not fitting crests)</p> <p>C. Full range of crests in aluminium or uPVC</p> <p>D. Aluminium Cresfinex wall end cap</p> <p>E. Capex wall flashing profile 50 or 70</p> <p>F. Cresfinex MK4 ridge</p> <p>G. Ankorglaze with or without condensation control</p> <p>H. Capex concealed fixing 50 or 70</p> | <p>I. Horizontal glazing bar</p> <p>J. Cresfinex bridgings 50 or 70</p> <p>K. Hip bridgings 50 or 70</p> <p>L. Extended end caps in aluminium or uPVC</p> <p>M. Hip bar 70</p> <p>N. Hip jack cap 70</p> <p>O. Cresfinex MK4 radius end cap</p> <p>P. Cresfinex cap end cap (when not fitting finials)</p> |
|---|--|




Did you know?

- **Technical Support:** We can quote your roof from drawings/sketches so please email info@marchesironmongery.co.uk or call us on 01597 823822 to discuss your enquiry.
- **Large Stock Holding:** We keep a range of sizes and finishes in stock across the full Capex and Cresfinex ranges.
- **RAL Colour Options:** Available in any RAL colour as a special order.

exitexTM

Capex 50 + Rafter Gasket


- Endcaps included.
- For roof pitches of 5°+.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- Exitex Reference 1.04.561



Size	Brown	White	Mill	Grey
2.4m	38701	38700	38702	38684
3m	38704	38703	38705	38685
3.6m	38727	38726	38728	38686
4.8m	38707	38706	38708	38687
6m	38710	38709	38711	38688

Capex 50 Wall Finishing Profile & Gasket


- Sold with gasket.
- Endcaps included.
- To use when butting up to existing wall.
- Exitex Reference: 1.04.266.



Size	Brown	White	Mill	Grey
2.4m	-----	-----	-----	38515
3m	38731	38730	38732	38736
3.6m	-----	-----	-----	38516
6m	38734	38733	38735	38737

Capex 50 Gable End Finishing Profile & Gasket


- Sold with gasket.
- Endcaps included.
- Exitex Reference: 1.04.0276.



Size	Brown	White	Mill	Grey
2.4m	-----	-----	-----	38513
3m	38721	38720	38722	38738
3.6m	-----	-----	-----	38514
6m	38724	38723	38725	38739

Capex 50 H&V & Gasket


- Sold with gasket.
- For roof pitches of 10°- 25°.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- Exitex Reference: 1.04.563..



Size	Brown	White	Mill	Grey
2.4m	38712	38713	38714	38718
3m	38715	38716	38717	38719

Capex 70 + Rafter Gasket


- Sold with gasket.
- Endcaps included.
- For roof pitches of 5°+.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- Exitex Reference: 1.04.751.



Size	Brown	White	Mill	Grey
2.4m	38741	38740	38742	38689
3m	38744	38743	38745	38690
3.6m	38753	38752	38754	38691
4.8m	38747	38746	38748	38692
6m	38750	38749	38751	38693

Capex 70 Wall Finishing Profile & Gasket


- Sold with gasket.
- Endcaps included.
- To use when butting up to existing wall.
- Exitex Reference: 1.04.268.



Size	Brown	White	Mill	Grey
2.4m	-----	-----	-----	38519
3m	38771	38770	38772	38776
3.6m	-----	-----	-----	38520
6m	38774	38773	38775	38777

Capex 70 Gable End Finishing Profile & Gasket


- Sold with gasket.
- Endcaps included.
- Exitex Reference: 1.04.278.



Size	Brown	White	Mill	Grey
2.4m	-----	-----	-----	38517
3m	38761	38760	38762	38766
3.6m	-----	-----	-----	38518
6m	38764	38763	38765	38767

Capex 70 Hip Bar & Gasket


- Sold with gasket.
- For roof pitches of 15°- 50°.
- Ideal for capping single, double or triple glazed glass, acrylic and polycarbonate structures.
- Exitex Reference: 1.04.287.



Size	Brown	White	Mill	Grey
2.4m	38800	38801	38802	38679
3m	38803	38804	38805	38680
3.6m	38812	38813	38814	38681
4.8m	38806	38807	38808	38682
6m	38809	38810	38811	38683

Lean to Finishing and Flashing Profile

- Unique variable gasket position to suit a variety of roof angles from 5° - 45°.
- Suitable for Exitex Capex range.
- Exitex Reference: 1.04.295.



Size	Brown	White	Mill	Grey
2.4m	38523	38525	-----	38521
3m	38530	38531	38532	38529
3.6m	38524	38526	-----	38522
6m	38533	38534	38535	38536

Capex 50 & 70 Extended Endcap


- Provides a neat finish for Capex when rafter gaskets might be visible due to them extending into guttering.
- Exitex Reference:
- Alu: 1.04.35(4/5)
- PVC: 1.04.570.00(50/70)



Material	Brown	White	Mill	Grey
Aluminium 50	38792	38791	38795	38797
PVC 50	38781	38780	-----	38778
Aluminium 70	38794	38793	38796	38798
PVC 70	38783	38782	-----	38779

Capex 50 & 70 Bridging - Black


- Fits into top end of Capex and tongue goes under ridge or lean to flashing.
- Exitex Reference:
- Capex 50: 1.05.035.
- Capex 70: 1.05.036.



Type	Product Code
Capex 50 (50mm)	38784
Capex 70 (70mm)	38785

Capex 50 & 70 Hip Bridging - Black

- Fits into end of Capex and allows rafters to connect with angled hip or valley.
- Size: 50mm or 70mm.
- Exitex Reference:
- Capex 50: 1.05.554.
- Capex 70: 1.05.555.



Type	Product Code
Capex 50	38786
Capex 70	38787

Capex 70 Hip Jack Cap - Black


- To use in conjunction with Capex 70 Hip Bar.
- Size: 70mm.
- Exitex Reference: 1.05.557



Product Code
38790

Hip & Valley Gasket

- Allows Capex to be fitted to hips and valleys by changing the outer seal.
- Exitex Reference: 1.09.300.



Unit	Product Code
10m	38448
15m	38449
20m	38450
30m	38451

Elast-o-sealant - Various Colours

- Seals leaking roofs, windows, baths, sinks or showers, wet or dry.
- Provides a better permanent seal than silicone between push fit plastic components, aluminium capping, weatherbars and their gaskets, and a variety of other materials.
- Can be over-painted.
- Long life flexibility.
- Mould and mildew resistant.



Colour	Product Code
Clear	13879
Brown	13880
Grey	13881
White	13878

We can also supply aluminium roof vents.


- Thermally broken
- Finished to any RAL number/Split colours available.
- Manual or fully automatic option.
- For 24mm or 28mm units

Contact us with your enquiry.




Cresfinex MK2

- A. CFX cap end cap (when not fitting finials)
- B. CFX/M2 radius endcap
- C. Full range of finials in aluminium or uPVC
- D. CFX snap cover (when not fitting crests)
- E. Full range of crests in aluminium or uPVC
- F. Aluminium cresfinex wall endcap
- K. Jackcap 40 or 60
- N. CFX/M2 ridge
- O. CFX/BDG 40 or 60



Cresfinex 100m MK2 Ridge


- For roof pitches 15°-35° (over 35° and up to 50° use hip & valley gasket 38080 or 38081).
- Top section can be capped if cresting is not required.
- Suitable for all Exitex range.
- Exitex Reference: 1.05.040.
- RAG 55 gasket sold as a separate item (page 172).



Size	Brown	White	Mill	Grey
3m	38310	38311	38312	38273
4.8m	38313	38314	38315	38274
6m	38316	38317	38318	38275

Cresfinex 175mm MK2 Ridge

- For roof pitches 15°-35° (over 35° and up to 50° use hip & valley gasket on page 175).
- Top section can be capped if cresting is not required.
- Suitable for all Exitex range.
- Exitex Reference: 1.05.060.



Size	Brown	White	Mill	Grey
3m	38282	38283	38284	38269
4.8m	38285	38386	38287	38270
6m	38288	38289	38290	38271

Aluminium Radius End Cap for 100mm MK2 Ridge

- Fits onto end of 100mm ridge to allow bridgings to fit under radius.
- Size: 100mm.
- Exitex Reference: 1.05.045.



Colour	Product Code
Brown	38376
White	38377
Mill	38378
Grey	38380

Aluminium Radius End Cap for 175mm MK2 Ridge


- Fits onto end of 100mm ridge to allow bridgings to fit under radius.
- Size: 175mm.
- Exitex Reference: 1.05.065.



Colour	Product Code
Brown	38376/L
White	38377/L
Mill	38323
Grey	38268

MK2/MK4 Cap End Cap for 100mm Ridge

- Use Endcap to finish off 100mm ridge when not using finials.
- Size: For 100mm Ridge.
- Exitex Reference: 1.05.207.



Colour	Product Code
Brown	38374
White	38375
Mill	38379
Grey	38276

Aluminium Gable End Cap for 100/175mm MK2 Ridge


- Decorative end to ridge for covering gable end finish profiles.
- Exitex Reference: 1.05.205.



Colour	Product Code
Brown	38382
White	38383
Mill	38384
Grey	38381

MK2/MK4 End Cap 100mm


- Can be nailed or screwed in place.
- It's wall plate section receives Exitex Flashtex flashing.
- Provides a weather tight connection between the ridge end of cresfinex and the wall.
- Size: 100mm.
- Exitex Reference: 1.05.019.



Product Code
38325


Cresfinex MK4

- A. Full range of finials in aluminium or uPVC
- B. Cresfinex snap cover (when not fitting crests)
- C. Full range of crests in aluminium or uPVC
- D. Aluminium Cresfinex wall end cap
- F. Cresfinex MK4 ridge
- J. Cresfinex bridgings 50 or 70
- N. Hip jack cap 70
- O. Cresfinex MK4 radius end cap
- P. Cresfinex cap end cap (when not fitting finials)



Cresfinex 100mm MK4 Ridge


- For roof pitches 35° and up to 50° fit DGBS to internal groove.
- For roof pitches 15° and up to 35° fit DGBS to external groove.
- Top section can be capped if cresting is not required.
- DGBS on page 172.
- Exitex Reference 1.05.400.
- RAG 55 gasket sold as a separate item (page 172).



Size	Brown	White	Mill	Grey
2.4m	38297	38298	38299	38350
3m	38300	38301	38302	38351
4.8m	38303	38304	38305	38352
6m	38306	38307	38308	38353

MK2/MK4 Cap End Cap for 100mm Ridge

- Use Endcap to finish off 100mm ridge when not using finials.
- Size: For 100mm Ridge.
- Exitex Reference: 1.05.207.



Colour	Product Code
Brown	38374
White	38375
Mill	38379
Grey	38276

Aluminium Radius End Cap for 100mm MK4 Ridge

- Fits onto end of 100mm ridge to allow bridgings to fit under radius.
- Size: 100mm.
- Exitex Reference: 1.05.430.



Colour	Product Code
Brown	38294
White	38295
Mill	38296
Grey	38277

Aluminium Gable End Cap for 100mm MK4 Ridge


- Decorative end to ridge for covering gable end finish profiles.
- Size: 100mm.
- Exitex Reference: 1.05.203.



Colour	Product Code
Brown	38291
White	38292
Mill	38293
Grey	38278

MK2/MK4 End Cap 100mm


- Can be nailed or screwed in place.
- It's wall plate section receives Exitex Flashtex flashing.
- Provides a weather tight connection between the ridge end of cresfinex and the wall.
- Size: 100mm.
- Exitex Reference: 1.05.019.



Product Code
38325

Aluminium MK2/MK4 Ridge Connector

- Connector for MK2/MK4 Cresfinex.
- This connector avoids wasteful off cuts and no ridge is too long.
- Comes with a free tube of Elast O Sealant.
- Size: 100mm.
- Exitex Reference: 1.05.042.



Ridge Size	Product Code
100mm	38309
175mm	38309/1

Snap Cover for Ridge

- A neat snap tight cover for all cresting profiles when crests are not used.
- Exitex Reference: 1.05.021.



Colour	3m	6m
Brown	38310/SC	38316/SC
White	38311/SC	38317/SC
Mill	38312/SC	38318/SC
Grey	38348	38349

MK2/MK4 Aluminium Ball Finial

- Press fit into Cresfinex ridge profiles.
- 125mm are Special order only.
- Exitex Reference:
- 80mm: 1.05.380.
- 125mm: 1.05.385.



Colour	80mm	125mm
Brown	38340	38360
White	38341	38361
Mill	38342	38362
Grey	38347	38363

MK2/MK4 uPVC Finial

- Fits onto end of ridge capping.
- Size: Height: 350mm.
- Exitex Reference: 1.05.015.



Colour	Product Code
Brown	38319
White	38320

MK2/MK4 Aluminium Antique Crest

- A robust cast aluminium section.
- Can be used without retaining profile channels.
- Size: 500 x 130mm.
- Exitex Reference 1.05.055.



Colour	Product Code
Brown	38359
White	38358
Mill	38357

MK2/MK4 Tulip Finial

- Exitex Reference: 1.05.366.



Colour	Product Code
Brown	38321
White	38322
Mill	38321/M

MK2/MK4 Aluminium Victorian Crest

- Can be used without retaining profile channels.
- Crests are supplied as paired unit.
- Size: 300 x 160mm.
- Exitex Reference 1.05.204.



Colour	Product Code
Brown	38368
White	38369
Mill	38368/M

MK2/MK4 uPVC Fleur-de-lys Crest

- UPVc Crest.
- Length: 143mm.
- Height: 224mm.
- Exitex Reference: 1.05.003.



Colour	Product Code
Brown	38373
White	38372

MK2/MK4 Fleur-de-lys Finial

- A press fit into Cresfinex ridge profiles.
- Height: 350mm.
- Exitex Reference: 1.05.201.



Colour	Product Code
Brown	38370
White	38371
Mill	38370/M
Grey	38385

MK2/MK4 Aluminium Fleur-de-lys Crest

- Powder coated aluminium.
- Size: Length: 300mm.
- Height: 210mm.
- Exitex Reference: 1.05.200.



Colour	Product Code
Brown	38365
White	38366
Mill	38367
Grey	38386

MK2/MK4 uPVC Regency Crest


- Size:
- 6": 143 x 150mm.
- 8": 143 x 200mm.
- Exitex Reference:
- 6": 1.05.006.
- 8": 1.05.008.



Colour	6"	8"
Brown	38343	38345
White	38344	38346

Ankorglaze for Glass Retention


- No fragile single glass edges or exposed spacer bars to cause unit failure.
- The put all the current description under one bullet point as this looks like fitting info.



Size	Brown	White	Mill	Grey
6.4mm	38234	38233	38235	38222
16mm	38237	38236	38238	38223
20mm	38240	38239	38241	38224
24/5mm	38227	38228	38229	38225
28mm	38230	38231	38232	38226
32mm	38243	38242	38244	38221

Ankorglaze for Condensation Control


- No fragile single glass edges or exposed spacer bars to cause unit failure.
- The put all the current description under one bullet point as this looks like fitting info.



Size	Brown	White	Mill	Grey
6.4mm	38608	38607	38609	38674
16mm	38611	38610	38612	38675
20mm	38614	38613	38615	38676
24/5mm	38599	38598	38605	38677
28mm	38601	38600	38606	38678
32mm	38603	38602	38604	-----

Self Supporting Horizontal Glazing Bar


- This product allows the connection of long lengths of glass without the use of purlin support.
- Self supporting up to 1m.
- Requires of Elast-o-seal to seal glass.
- Exitex Reference:
- 16-24: 1.04.291.
- 25-32: 1.04.301.



Size	Brown	White	Mill	Grey
16-24mm	38595	38594	38620	38945
25-32mm	38597	38596	38621	38946

Adjustable Valley


- Size: 3m long.



Size	Brown	White	Mill
6.4mm	38634	38635	38636
16mm	38637	38638	38639
20mm	38640	38641	38642
25mm	38643	38644	38645
28mm	38646	38647	38648
32mm	38649	38650	38651

Aluminium Roof Sheet End Closures


- End closure for glazing materials such as polycarbonate, acrylic or glass.
- Produced from high tensile aluminium to BS 1474.
- Length: 2.1m.



Size	Brown	White	Mill	Grey
6.4mm	38156	38155	38157	38149
10mm	38159	38158	38160	-----
16mm	38162	38161	38163	38151
20mm	38165	-----	38166	38152
25mm	38168	38167	38169	38153
28mm	38171	38170	38172	38154
32mm	38174	38173	38175	38147
35mm	38177	38176	38178	-----

Aluminium F-Section


- Dual methods of installation.
- Produced from hardened high tensile aluminium.
- End closure for glazing materials such as polycarbonate, acrylic or glass.
- Size: 3m long.



Size	Brown	White	Mill	Grey
10mm	38194	38193	38195	-----
16mm	38197	38196	38198	-----
20mm	38200	38199	38201	-----
25mm	38185	38186	38202	38212
32mm	38207	38206	38208	-----
35mm	38210	38209	38211	-----

PVC RSC End Closure


- End closure for glazing materials such as polycarbonate, acrylic or glass.
- Supplied with UV stable ridge material with Grip 'N' Seal (stays 'put' without sealant).
- Length: 2.1m.



Length	Brown	White
10mm	38180	38179
16mm	38182	38181
20mm	-----	38183
25mm	38188	38187
32/35mm	38190	38189

Poly Fixing Buttons

- Supplied with screw and snap weather proof cover.



Length	Brown	White
10mm	W4701	W4700
16mm	W4703	W4702
25mm	W4705	W4704

Did you know we can also supply a range of Poly Carbonate?

- Available in sheet sizes or cut to size.
- Thicknesses range from 4mm to 35mm.
- Colour options – Clear, Opal and Bronze.

Benefits:

- Flexible on lighter weights.
- Easy to cut.
- High transparency.
- High insulation values/UV protected.
- High impact strength/200 time stronger than glass.

Contact us with your enquiry and will be happy to assist you.

